

भारतीय सांख्यिकी संस्थान, दिल्ली केंद्र  
INDIAN STATISTICAL INSTITUTE, DELHI CENTRE  
7 एस.जे.एस मार्ग, कटवारिया सराय  
7 S.J.S MARG, KATWARIA SARAI  
नई दिल्ली 110016  
NEW DELHI 110016  
निविदा आमंत्रण सूचना  
NOTICE INVITING TENDER

NIT No- D / ISI /Civil Work /Canteen mess old toilet renovation work/2022/580  
dated: - 05/07/2022

Indian Statistical Institute, Delhi Centre, invites off line tenders item rate on prescribed tender documents under sealed envelope for the work of " **Renovation of existing old toilet in Canteen-Mess area of ISI Delhi Centre, New Delhi-110016** " from reputed contractors and who fulfill other eligibility criteria of tender document. Tender notice available on [www.isid.ac.in](http://www.isid.ac.in) under Administrative Announcements & Tenders.

भारतीय सांख्यिकी संस्थान, दिल्ली केंद्र, प्रतिष्ठित ठेकेदारों से "आईएसआई दिल्ली केंद्र, नई दिल्ली -110016 के कैंटीन-मेस क्षेत्र में मौजूदा पुराने शौचालय का नवीनीकरण" के काम के लिए सीलबंद लिफाफे के तहत निर्धारित निविदा दस्तावेजों पर ऑफ लाइन निविदा मद दर आमंत्रित करता है और जो निविदा दस्तावेज के अन्य पात्रता मानदंडों को पूरा करते हैं। प्रशासनिक घोषणाओं और निविदाओं के तहत [www.isid.ac.in](http://www.isid.ac.in) पर उपलब्ध निविदा सूचना।

1	Name of officer and office inviting tender	<b>Dy. Chief Executive</b> , Delhi centre, Indian Statistical Institute, Delhi Centre, 7 S.J.S Marg, Katwaria Sarai, New Delhi-110016
2	Name of the work	<b>Renovation of existing old toilet in Canteen-Mess area of ISI Delhi Centre</b>
3	Bidding document No	D / ISI /Civil Work /Canteen mess old toilet renovation work/2022/580
4	Period of Work	One Month
5	Cost of tender documents	NIL
6	Tender mode	<b>OFF line</b>

7	Last Date & Time of off line submission of tender	13.07.2022 ( 3:00 PM )
8	Opening of tender	13.07.2022 (3.30 PM )
9	Documents to be attached along with the tender	1) Work Experience Certificate 2) Copy of PAN No. and GSTIN certificate


**नियम व शर्तें /Terms and Condition: -**

**Eligibility Criteria :**

The bidder must fulfil the following eligibility criteria and should submit the following document;

1. The bidder should fulfil the criteria of satisfactory execution of at least 1 similar type's works and should submit the works experience certificate.
2. The bidders should submit the related document in support of above works issued by respective departments.
3. The bidders should submit valid PAN No. GST No.
4. The rates for the above work shall be valid for one year and during this period; the work will be carried out as per the need basis or direction as per the institute authorities.
5. Before tendering, the bidder shall inspect the site to fully acquaint himself.
6. Payments shall be made based on the satisfactory actual work done and based on the actual measurement, after deduction of 5%, which shall be kept as security to cover the defects liability for a period of six month from the date of completion. During this period, any defect is found the same shall be got rectified immediately by you. No extra payment will be made.
7. The works shall be strictly carried out as per the latest CPWD specification of work and works manual under the supervision of Engineer Civil A.
8. The ISI Delhi Centre reserves the right to reject the tender process at any stage without assigning any reason.
9. The quoted rates shall be inclusive of all taxes and charges as applicable.
10. Any loss/ damaged/ theft caused to the public property/ ISI Delhi Centre / manpower engaged shall be sole responsibility of the agency.
11. The contractor shall be responsible for their good character, all damaged done to the existing structure shall be made good by the contractor at his own risk and cost.

12. ISI Delhi Centre shall not be responsible for any injury or loss any worker of the contractor that may take place while on work. Any compensation or expenditure towards treatment for such injury or loss of the life shall be the sole responsibility of the contractor. The contractor is solely responsible for any damage or injury or accident that may occur to any of his personnel working under his contract. No claim whatsoever arises to ISI Delhi Centre.
13. After finishing of work Malaba may be removing out at own cost.
14. The tender document can be downloaded from website. Corrigendum, if any would appear on the [www.isid.ac.in](http://www.isid.ac.in).
15. The tender document can be downloaded from website. Corrigendum, if any would appear on the [www.isid.ac.in](http://www.isid.ac.in). ISI Delhi Centre reserves the right to accept or reject any or all tenders in part or full without assigning any reason thereof.
17. Tenders / offers sent by fax / email will not be considered and would be rejected.
18. Any incomplete of paper found in tender document, the tender document may be summarily rejected.

  
उप. मुख्य कार्यकारी, दिल्ली केंद्र  
Dy. Chief Executive, Delhi Centre

**मूल्य बोली / FINANCIAL BID**

**विषय:- आईएसआई दिल्ली केंद्र के कैंटीन-मैस क्षेत्र में मौजूदा पुराने शौचालय का नवीनीकरण**


**Subject: - Renovation of existing old toilet in Canteen-Mess area of ISI Delhi Centre**

Sr No.	Description of Work	Unit	Qty	Rate	Amount
1	12 mm cement plaster of mix :	sqm	12.74		
2	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	sqm	12.74		
3	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	each	1		
4	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	0.180		
5	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	sqm	12.74		
6	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	sqm	1.80		
7	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with				

	manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	each	1		
8	Providing and Fixing 32 mm pvc bend	each	1		
9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.				
	Concealed work, including cutting chases and making good the walls etc.				
	20 mm nominal dia Pipes	meter	6		
10	Providing and fixing uplasticised PVC connection pipe with brass unions :				
	45 cm length				
	20 mm nominal bore	each	1		
11	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				
	15 mm nominal bore	each	2		
12	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
	15mm nominal bore	each	1		
13	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge.	each	2		
14	Providing and fixing to existing door frames.				
	30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	sqm	1.575		
15	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with				

	nuts and screws etc. complete :				
	300 x 16 mm	each	1		
16	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
	300x10 mm	each	1		
17	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
	125 mm	each	2		
18	Providing and fixing ISI marked oxidised M.S. pressed butt hinges with necessary screws etc. complete.				
	125x65x2.12 mm	each	3		
19	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
	110 mm diameter	meter	11		
20	Providing and fixing PVC P Trap 110 mm dia	each	1		
21	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	sqm	8.58		
22	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade :				
	New work (two or more coats) over and including water thinnable priming coat with cement primer	sqm	8.58		
23	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.	each	1		
24	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineerin- Charge.				
	(a) Internal Work- Exposed on wall	meter	4		
25	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In-Charge.	sqm	7.21		
26	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :				
	Of area 3 sq. metres and below	each	1		

27	Providing and fixing M.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. :	each	6		
	100 mm diameter				
	<b>Total (inclusive taxes GST )</b>				

  
 उप. मुख्य कार्यकारी, दिल्ली केंद्र  
 Dy. Chief Executive, Delhi Centre

मुहर और तारीख सहित बोलीदाता के हस्ताक्षर  
 Signature of Bidder with seal & Date