

## INDIAN STATISTICAL INSTITUTE, DELHI CENTRE 7 S.J.S MARG, KATWARIA SARAI NEW DELHI 110016

## NOTICE INVITING e-TENDER

NIT No- D / ISI /Civil Work /2018-19 / 408

Dated: - 22/01/2019

Indian Statistical Institute, Delhi Centre, invites on line tenders item rate on prescribed tender documents under single bid system for the work of "Renovation works in PPRU Room" in ISI Campus Delhi Centre, New Delhi-110016" from reputed contractors and who fulfil other eligibility criteria of tender document. Tender notice available on www.eprocure.gov.in/www.isid.ac.in under Administrative Announcements & Tenders.

1	Name of officer and office inviting tender	Dy. Chief Executive, Delhi centre, Indian Statistical Institute, Delhi Centre,7 S.J.S Marg ,KatwariaSarai, New Delhi-110016
2	Name of the work	"Renovation works in PPRU Room "
3	Biding document No	Tender No. D / ISI /Civil Work /2018-19 /408
4	Estimated cost put to the tender	Rs. 2,37,338/- (Rupees Two Lacs Thirty Seven Thousand & Three Hundred Thirty Eight /-)
5	Period of Work	One Month
6	Cost of tender documents	NIL

7	Earnest money deposit (EMD)	Rs. 4700/- (Rupees Four Thousands & Seven Hundred Only) Demand Draft (DD) only
		In favour of " Indian Statistical Institute" payable at New Delhi.
		(DD to be submitted Addressed to Head, Indian Statistical Institute, Delhi Centre, New Delhi 110016 either in person or through speed post. Earnest money received after the closing date and time of tender will not be entertained. The Institute will not be responsible for any postal delay
8	Tender mode	On line (Through cppp portal)
9	Date & Time of uploading NIT and other documents	.29.01.2019- 6.00 PM

10	Downloading of Tender Documents from website of www.eprocure.gov.in	30.01.2019 (after 10:00 AM onwards )				
11	Last Date & Time of on line submission of tender	19.02.2019 ( 3:00 PM )				
12	Opening of tender	20/02/2019 at (3.00) PM (IST)				
13	Documents to be attached along with the tender	Work Experience Certificate     Copy of PAN No. and GSTIN certificate				

## Terms and Condition: -

- The bidder should fulfil the criteria of satisfactory execution of at least 1 similar type's works and should submit the works experience certificate.
- 2. The bidders should submit the related document in support of above works issued by respective departments.
- The bidders should submit valid PAN No. & GST No.
- 4. The rates for the above work shall be valid for one year and during this period; the work will be carried out as per the need basis or direction of the institute authorities.
- 5. Before tendering, the bidder shall inspect the site to fully acquaint himself.
- 6. Payments shall be made based on the satisfactory actual work done and based on the actual measurement, after deduction of 5%, which shall be kept as security to cover the defects liability for a period of six month from the date of completion. During this period, if any defect is found, the same shall be got rectified immediately by you in successful bidder. No extra payment will be made.
- 7. EMD will be returned All Successful/unsuccessful bidders after verification of tender/document/process complete.
- 8. The works shall be strictly carried out as per the latest CPWD specification of work and works manual under the supervision of Engineer Civil A.
- The ISI Delhi Centre reserves the right to reject the tender process at any stage without assigning any reason.
- 10. The guoted rates shall be inclusive of all taxes and charges as applicable.
- 11. The workers to be deployed under the scope of the contract shall be provided personel protective equipments (PPEs) as required.
- Any loss/ damage/ theft caused to the public property/ ISI Delhi Centre / manpower engaged shall be sole responsibility of the agency.
- 13. The contractor shall be responsible for their good character; all damage done to the existing structure shall be made good by the contractor at his own risk and cost.
- 14. ISI Delhi Centre shall not be responsible for any injury or loss of life i.r.o. of the contractor that may take place while on work. Any compensation or expenditure towards treatment for such injury or loss of the life shall be the sole responsibility of the contractor. The contractor is solely responsible for any damage or injury or accident that may occur to any of his personnel working under his contract. No claim whatsoever arises to ISI Delhi Centre.
- 15. After finishing of work Malaba shall be removed out at own cost.
- 16. The tender document can be downloaded from website www.eprocure.gov.in / www.isid.ac.in . Corrigendum, if any would also appear on the www.eprocure.gov.in / www.isid.ac.in.
- 17. ISI Delhi Centre reserves the right to accept or reject any or all tenders in part or full without assigning any reason thereof.
- Tenders / offers sent by fax / email will not be considered and would be rejected & for any incomplete of paper is found in tender document, the tender document will be summarily rejected.

Sd/-

## FINANCIALBID

Subject: - "Renovation works in PPRU Room in ISI Campus Delhi Centre New Delhi-110016.

Sr No.	Description of Work	Unit	Qty	Rate	Amount
1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per directions of Engineer-In-Charge.				
	With cement mortar 1:4 (1 cement : 4 fine sand)	sqm	14.295		
2	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:			-	
	Of area beyond 3 sq. metres	each	2		
3	Collapsible Door Removing Out by WELDING WORK	1 job	1		
	21.0 ALUMINIUM WORK				
4	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-incharge. (Glazing, panelling and dash fasteners to be paid for separately):				`
	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
	Powder coated aluminium (minimum thickness of powder coating 50 micron)	kg	138.02		

5	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer-in-charge.			
	Pre-laminated particle board with decorative lamination on both sides	sqm	2.43	
6	"Providing and fixing 12 mm thick frameless toughened glass door/window shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately)."(Make MODI GUARD/SAINT GOBAIN Etc. ISI Make)	sqm	9.225	
7	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-incharge complete.			
	Upto 5mm depth and 5 mm width	meter	16.36	
8	Providing and fixing double action hydraulic floor spring of approved brand and conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-harge.(Make-SANDHU/DORMA)			
	With stainless steel cover plate minimum 1.25 mm thickness	each	2054.4	
9	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	each	2	
10	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge		-	
	Powder coated minimum thickness 50 micron aluminium	each	4	

11	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:			
	250x10 mm	each	2	
12	'Providing and Fixing of Roller Blinds in manually operated over fixed glass/windows as per approved make, shade & colour having hand ail of approved size 1 mm thick extruded from aluminium alloy & powder coated to give smooth finish with a thickness of 15-25 micron as per manufacture specification & directed by the Engineer in Charge (Approved Sample in Faculty Lounge)	sqm	8.733	
13	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.	sqm	1.493	
	FINISHING			
14	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	sqm	96.11	
15	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade :			
	Old work (one or more coats)	sqm	96.11	
16	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	sqm	96.11	
17	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade			
	One or more coats on old work	sqm	52.436	
	WOOD AND P. V. C. WORK			
18	Providing and fixing plywood 18 mm thick, conforming to IS: 1328 (type-1), for plain lining / cladding with necessary screws, wooden adhesive including priming coat on unexposed surface without Lamination. (century ply/Duro/Greenply/Archidply)	sqm	11.4	
19	Providing and fixing 2nd class teak wood lipping/ moulded beading or taj beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/ nails on the edges of the Pre-laminated particle board as per direction of Engineer-in-charge.	meter	59.4	

20	Providing and fixing sliding arrangement in racks/ cupboards/cabinets shutter by with stainless steel rollers to run inside C or E aluminium channel section (The payment of C or E channel shall be madeseparately)	each	6		
21	Providing and Fixing of C or E channel with heavy duty ISI Make.	each	6		
22	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.	each	4		
	Double strip (horizontal type)				
23	Providing and fixing 12 mm thick panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled door panelled and glazed shutters 25 mm to 40 mm thick.			c	
	Marine plywood conforming to IS: 710 With clearglass panes 6mm thick inside panelling groove	sqm	2.88		
24	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S, including cost of adhesive of approved quality. (century ply/Duro/Greenply/Archidply)				
	1.0 mm thick	sqm	22.8		
25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.	11			
	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	kg	61.41		
	Total (inclusive taxes GST)				
	Extra GST 18%				
	Total (inclusive taxes GST)				
	Rebate /Discount if any				
	Total (inclusive taxes GST)				

Sd/-Dy. Chief Executive, Delhi Centre