

INDIAN STATISTICAL INSTITUTE, DELHI CENTRE/ भारतीय सांख्यिकी संस्थान, दिल्ली केंद्र 7 S.J.S MARG, KATWARIA SARAI/7 एस.जे.एस मार्ग, कटवारिया सराय NEW DELHI 110016/ नई दिल्ली 110016

NOTICE INVITING e-TENDER/ ई - निविदा आमंत्रण सूचना

NIT No- D/ISI/ Civil Renovation Work/D22/ 684

Dated: -20-03-2025

विषय: -

आईएसआई कैम्पस दिल्ली सेंटर नई दिल्ली-110016 में डी22 कार्टर में पेंटिंग (आंतरिक कमरे) और शौचालय/स्नानघर और रसोई नवीकरण कार्य।

Subject: -

Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016.

Online Tenders in Two bid system are invited from all eligible bidders for the following work at Indian Statistical Institute, 7, SJS, Sansanwal Marg, New Delhi 110 016. The Tender notice will be available on www.eprocure.gov.in/www.isid.ac.in under Administrative Announcements and Tenders

Name of the Work:

Toilet/Bathrooms and kitchen renovation works in D22 quarters at ISI Campus Delhi Centre

New Delhi-110016.

Place of the Work:

Indian Statistical Institute, Delhi Centre, 7, SJS Sansanwal Marg, New Delhi 110 016

Scope of the Work:

The scope of work includes the works mentioned in the Schedule of Requirements

Please refer to the tender document for further details.

उप मुख्य कार्यकारी (प्रशासन)

दिल्ली केंद्र

Dy. Chief Executive (Admin)

Delhi Centre

Notice Inviting e-Tender (NIT) for Item Rate Work for Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016.

आईएसआई कैंपस दिल्ली सेंटर नई दिल्ली-110016 में डी22 क्वार्टर में पेंटिंग (आंतरिक कमरे) और शौचालय/बाथरूम और रसोई नवीनीकरण कार्य के लिए आइटम दर कार्य के लिए ई-टेंडर (एनआईटी) आमंत्रित करने की सूचना।

CONTENTS/ अंतर्वस्तु

Sl. No.	Description/ विवरण	Page No.
1	Instructions to Bidders/ बोलीदाताओं को निर्देश	3
2.	Crucial Dates/ महत्वपूर्ण तिथियां	4
3.	Schedule of Requirements (Scope of Work)/ आवश्यकताओं की अनुसूची (कार्य का दायरा)	5
4.	Terms and Conditions of the Contract/ अनुबंध के नियम और शर्तें	6-11
5.	Details of the Bidder (Annexure-A)/ बोलीदाता का विवरण (अनुलग्नक-ए)	12-13
6.	Price Schedule (Annexure-B)/ मूल्य अनुसूची (अनुलग्नक-बी)	14-21

INSTRUCTIONS TO BIDDERS

- The interested bidders are advised to go through the tender document carefully and satisfy themselves against the eligibility criteria laid down therein.
- 2. Two bid system shall be followed for this tender. The bidders shall submit the "Technical Detail" in Annexure-A and "Price Bid" in Annexure-B duly signed and stamped along with tender document as mentioned in the NIT. Tender should be downloaded from www.eprocure.gov.in/ www.isid.ac.in under Administrative Announcements and Tenders.
- 3. The details provided in Annexure A & B, along with all enclosures, certificates etc. and corrections in the tender, if any, should be signed and stamped by the bidder before submission.
- 4. All the details should be provided in ink. Overwriting/applying correction fluid should be avoided.
- 5. The quotation shall remain valid for a period of 90 (Ninety) days from the date of opening the bid.
- 6. The acceptance of the tender in part or whole shall rest with the Competent Authority of the Institute, who reserves to himself/herself the authority to reject any or all the tenders received without assigning any reason thereof.
- 7. Bids, which do not fulfill any of the conditions, mentioned hereinabove or hereinbelow or are incomplete in any respect, will be rejected.
- 8. Bidders must have the experience of execution of at least one similar type of work of an amount not less than Rs./-1,75,167.20/- (Rs./- One Lacs Seventy Five Thousand and One Hundred Sixty Seven and Twenty Paisa Only) during the last three years.
 - Bidders must have GST registration, valid PAN card.
- 10. The participating agencies shall submit the following self-attested documents along with their bids signed on each page:
 - (i) Photocopy of PAN Card.

(iii)

- (ii) Photocopy of GST Registration Certificate
- of an amount not below Rs. 1,75,167.20/- (Rs./- One Lacs Seventy Five Thousand and One Hundred Sixty Seven and Twenty Paisa Only) during the last three years.

Photocopy of Work Order/Completion certificate of having executed at least one other similar type of work

- (iv) The original documents of PAN card, GST registration certificate, ITR, Completion Certificate and Firm details shall have to be produced by the successful bidder for verification before award of contract
- 11. Incomplete bids / conditional bids, bids received in any other mode except those mentioned in Instruction No. 2 or bids received after the last date will not be entertained and will be summarily rejected.
- 12. Before submitting the Bid, it is advisable that the tenderer acquaint himself with the premises so as to get an idea of the site he will be working at.
- 13. Bidders are asked to refer the Crucial Dates as given below for further information. Corrigendum to the Tender notice, if any will also appear on www enrocure gov in ways isid as in
- if any, will also appear on www.eprocure.gov.in/ www.isid.ac.in.

 While submitting the Tender for this work, the tenderers will be deemed to have read, understood and accepted all the terms and conditions laid down in the Tender document. Any doubts or clarifications with regard to the interpretation of the

Terms and Conditions stipulated in this Tender enquiry, may be got clarified from Engineer (Civil), ISI, Delhi Centre, within the dates mentioned hereunder. Requests for postponing the Tender opening date for the same will not be accepted.

CRUCIAL DATES! महत्वपूर्ण तिथियां

SI. No. क्रमांक संख्या	Notice/ सूचना	Date/ दिनांक	Time/ समय
1.	Publication of Tender notice/ निविदा सूचना का प्रकाशन	20.3. 2025	06:00 PM
2.	Starting Date for Downloading of Documents/ दस्तावेजों को डाउनलोड करने की प्रारंभिक तिथि	21.2.2025	10:00 AM
3.	Clarification Start Date/ स्पष्टीकरण प्रारंभ तिथि	21.3.2025	10:00 AM
4.	Clarification End Date/ स्पष्टीकरण समाप्ति तिथि	01.4.2025	10:00 AM
5.	Pre Bid Meeting Date/ प्री बिड मीटिंग तिथि	02.4.2025	02:00 PM
6.	Bid Submission Start Date/ बोली जमा करने की तिथि	21. 3. 2625	10:00 AM
7.	Bid Submission End Date/ बोली जमा करने की अंतिम तिथि	15.4.2025	03:00 PM
8.	Bid Opening Date/ बोली खुलने की तिथि	16.4.2025	03:30 PM

SCHEDULE OF REQUIREMENTS (SCOPE OF WORK)/ आवश्यकताओं की अनुसूची (कार्य का दायरा)

The scope of work of the successful bidder (hereinafter referred to as contractor) at ISI Delhi Centre (hereinafter referred to as ISID) under the tender includes:

निविदा के तहत आईएसआई दिल्ली केंद्र (इसके बाद आईएसआईडी के रूप में संदर्भित) में सफल बोलीदाता (इसके बाद ठेकेदार के रूप में संदर्भित) के कार्य के दायरे में शामिल हैं:

- Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016..
- The deployed agency or its deployed manpower will not be provided with any residential accommodation at the work place or transportation to or from workplace.
- No freight charges for transport of materials to ISID premises or cost of labour will be provided by ISID.

1.

- आईएसआई कैंपस दिल्ली सेंटर नई दिल्ली-110016 में डी22 क्वार्टर में पेंटिंग (आंतरिक कमरे) और शौचालय/बाथरूम और रसोई नवीनीकरण कार्य के लिए आइटम दर कार्य के लिए ई-टेंडर (एनआईटी) आमंत्रित करने की सूचना। ठेकेदार अपनी सामग्री, जनशक्ति, उपकरण और उपकरण तैनात करेगा। 2.
- तैनात एजेंसी या उसकी तैनात जनशक्ति को कार्य स्थल पर कोई आवासीय आवास या कार्यस्थल तक या उससे परिवहन 3. उपलब्ध नहीं कराया जाएगा।
- आईएसआईडी परिसर में सामग्री के परिवहन के लिए कोई भाड़ा शुल्क या श्रम की लागत आईएसआईडी द्वारा प्रदान नहीं की 4. जाएगी।

TERMS AND CONDITIONS OF CONTRACT/ अनुबंध के नियम और शर्तें

1. Work Completion Time / काम पूरा करने का समय

The entire work should be completed within 01 (one) month of commencement of the work. Work should be commenced within 02 (two) days of the issuance of Work Order. In case of failure of the successful bidder to adhere to the above timeline, compensation for delay of work @ 1% per month of delay, to be computed on per day basis of the ordered value of work, will be recovered by ISI Delhi Centre from the successful bidder.

2. ELIGIBILITY CRITERIA/ पात्रता मापदंड

In order to be eligible for bidding, the Tendering firm must possess the following:

- a) A valid PAN card
- b) A valid GST Registration Certificate
- c) Copies of Income Tax Returns filed in the last 3 years
- d) Work Order/Completion Certificate of execution of one similar type of work of Civil Repair and Renovation work contract value not less than Rs./- 1,75,167.20/- (Rs./- One Lacs Seventy Five Thousand and One Hundred Sixty Seven and Twenty Paisa Only) during the last three years.
- e) Details of the previous clients including Name, Address of the Firm and Contact Number.

3. TERMS OF PAYMENT/ अदायगी की शर्तें

Payment will be released to the contractor on the satisfactory actual work done and based on the actual measurement, after deduction of 5%, which shall be kept as security to cover the defects liability for a period of six month from the date of completion. During this period, if any defect is found, the same shall be got rectified immediately by you at no extra cost to ISI Delhi Centre. No advance payment/running bill will be made to the contractor under any circumstances.

After completion of the work, the contractor will have to provide a completion certificate, payment will be made only after it is certified by the engineer.

4. EMD/ **ईएमडी**

The EMD amount of Rs. 9000/- (Rs. Nine Thousand Only/-) has to be submitted by way of Demand Draft drawn on any Scheduled Commercial Bank in favour of Indian Statistical Institute, Delhi Centre. Payment by any other mode will not be accepted. The DD shall be sent in a closed cover superscribing the words "EMD for Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016." well in advance so as to reach the D.C.E (Admin), Indian Statistical Institute, Delhi Centre, 7, S.J.S. Sansanwal Marg, New Delhi — 110016 before the last date of submission of Tender. EMD of the tendering firms who submit the Tender but withdraw the same before expiry of the Tender validity date may be forfeited at the discretion of ISID. The Bidders registered with MSME/NSIC will be granted exemption from payment of EMD as per Rule.

5. Performance Bank Guarantee (PBG) of any Scheduled Bank

The Successful (L1) contractor shall submit Performance Bank Guarantee (PBG) of 10% (Ten percent) of the Contract Amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) till completion period before issuing the Award of Contract (AOC). The Performance Bank Guarantee (PBG) of Contract Amount has to be submitted by way of (PBG) drawn on any Scheduled Commercial Bank in favour of Indian Statistical Institute, Delhi Centre. New Delhi-110016. Payment by any other mode will not be accepted. Performance Bank Guarantee (PBG) original document shall be sent in a closed cover superscribing the words "Performance Bank Guarantee (PBG) for Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016 at ISI Delhi Centre well in advance so as to reach the D.C.E (Admin), Indian Statistical Institute, Delhi Centre, 7, S.J.S. Sansanwal Marg, New Delhi – 110016 before the Award of Work.

- a) If the Deposit Receipt (PBG) is deposited by the Contractor to ISID by any Bank and the Bank is unable to make payment against the said Deposit Receipt of the PBG or is found to be fake the loss incurred will be borne by the Contractor. In this regard the strict action will be taken against the contractor.
- If the contractor or the bidder or any of his successors does not complete the work, or is found unsuccessful, or the contractor partially surrenders the work, the Performance Bank Guarantee (PBG)/EMD will be forfeited.
- The PBG/EMD deposit so submitted shall bear no interest.

6.

SECURITY DEPOSIT

Payments shall be made based on the satisfactory actual work done and based on the actual measurement, after deduction of 5%, which shall be kept as security to cover the defects liability for a period of One Year from the date of completion. During this period, in case any defect is detected in the executed job then the same shall be got rectified immediately by the

contractor at no extra payment. The security deposit so submitted shall bear no interest. The Security Deposit will be forfeited if the contractor fails to execute the work partially or fully according to the terms and conditions of LOI/ Work Order for any reason whatsoever.

7. RATES

Rates should be quoted on item rate in the enclosed Performa as per Annexure B attached with the Tender document. All rates should be inclusive of GST. Rates will remain fixed during the currency of the contract, even if there is a variation in the Cost Index.

There will be no Employer-Employee relationship whatsoever between ISID and the workers to be deployed by the contractor under the contract and no claim for any employment will be entertained or tenable. The contractor shall render the services to ISID as an independent contractor and it shall be the sole responsibility of the contractor to regulate their

EMPLOYMENT OBLIGATION 8.

terms of employment with the engaged persons without any liability whatsoever on ISID. The contractor shall comply with all the relevant Acts, Rules, Laws and other statutory provisions, regulations, by-laws etc. in connection with execution of the work which are currently in force or to be enforced/revised by the Government from time to time.

AWARD OF CONTRACT

- ISID will award the contract to the bidder whose Bid has been determined to be substantially responsive and who has offered the lowest evaluated tender price.
- Notwithstanding the above, ISID reserves the right to seek previous Work Orders, references etc. and to accept or reject any quotations and to cancel the process and reject all tenders at any time prior to award of contract.
- The bidder whose rate is accepted will be notified for the award of contract by ISID prior to expiry of the Tender

validity period. The terms and conditions stipulated in the Tender document shall be fully applicable to the resultant contract and taken as an integral part of the contract concluded on the basis of this Tender Enquiry.

- Contract will be awarded to the firm offering the lowest/Net Bundled price and not with the reference to the lowest prices quoted for the sub-items. The issuance of Work Order will depend upon the requirement of the ISID and on actual basis.
- In case two firms quote the same rate/Amount, then the total tendering process will be cancelled.

16. DISCIPLINE

The contractor shall maintain strict discipline among their workforce and shall review their performance at regular intervals. Personnel employed by the contractor, who are found to be indisciplined or whose performance is not satisfactory, as noticed by the contractor or as reported by the authorized officer of ISID, shall be replaced by the contractor immediately without causing any disruption in the assigned work. The contractor shall be solely and fully responsible and liable for the act, conduct and behavior of their personnel. In case of any misconduct and/or criminal activities by any of their personnel, the matter will be brought to the notice of the contractor by ISID for necessary action. The contractor shall remain liable for any damage caused to the property or person of ISID by any person engaged by him. In addition, ISID reserves the right to initiate legal proceedings against such person or persons and/or the contractor for recovery of damages so caused.

11. PENALTY

- a) Compensation for delay in work will be calculated from the Contractor on per day basis for delay in work, with a maximum rate of 1% (one percent) per day of delay.
- b) In case of financial loss/liability incurred due to negligence/default on the part of the contractor or his staff, non-compliance of the provisions of the applicable Acts/statutes/Legislation/Rules or regulations relevant to the contract, ISID reserves the right to recover such monetary losses from the running bills/security deposit of the contractor.
- c) The contractor shall maintain a high quality of work under the scope of the contract. If any defect in quality is noticed, then the same shall be got rectified by him within 48 hours at his own cost.

12. STATUTORY DEDUCTIONS

All the statutory deductions towards GST / Income Tax etc. shall be made from the bill/s as applicable as per the prevailing rates under the rules. TDS as applicable will be deducted from each bill of the contractor under the statutory rules of the Union Govt., in respect of Income Tax and other taxes. No claim on account of any other statutory charges for execution of work awarded under this contract will be entertained by ISID and such charges should be paid by the contractor himself.

13. INDEMNIFICATION

ISID shall have no liability whatsoever towards the persons deployed by the contractor for the subject of work. The contractor shall keep ISID indemnified against all losses/damages/liabilities/claims arising out of deployment of the contractor's workers during the period of the contract. Any claim which may arise during the currency of the contract or at any subsequent point of time, shall be the sole responsibility of the contractor and ISID shall in no way be held responsible for it.

14. LIABILITY AGAINST LOSS OR DAMAGE TO LIFE OR PROPERTY

- a) The contractor shall be liable to pay ISID for any loss/damage caused as a result of theft/pilferage of any property of ISID from the premises where the staffs of the contractor have been deployed, provided such loss/damage is due to the negligence of the contractor or its deployed manpower.
- b) The contractor shall also be liable for the consequences of any incident of major/minor injury or accident or death caused to any of its worker arising out of or in the course of his employment under the scope of the contract.
- c) ISID shall not be responsible for any injury or loss of life in respect of the contractor that may take place while on work. Any compensation or expenditure towards treatment for such injury or loss of life shall be the sole responsibility of the contractor. The contractor shall be solely responsible for any damage, injury or accident that may occur to any of his personnel working under his contract. No claim whatsoever arises to ISID.

15. LIQUIDATED DAMAGES

If the contractor fails to execute the contract either in full or in part or fails to observe the terms and conditions set hereinabove or hereinbelow, the entire loss/damage sustained by ISID shall be reimbursed by the contractor and/or will be recovered from the contractor's running bills. In case of financial loss/liability incurred due to the negligence/default of the contractor, the same will be recovered from the contractor's running bills.

16. TERMINATION OF THE CONTRACT IN FULL OR IN PART

- a) The contract will be automatically terminated upon the expiry of the period of the contract. The contract may also be terminated by either of the parties after serving a notice of one month to the other party or payment of charges in lieu thereof. Any complaints pending on the day of giving notice and also before the expiry of the notice served shall have to be attended in accordance with the terms and conditions of the contract.
- b) ISID may terminate the contract in full or part, subject to the said provision, in case of failure/neglect/ default/refusal on the part of the contractor to perform satisfactorily as per the scope of the contract. In such an event, ISID reserves the right to get the balance work executed through alternate source(s) at the risk and cost of the contractor and the (Performance Bank Guarantee) PBG/EMD of the contractor shall stand forfeited. Further, in the event of termination, the contractor shall vacate the site/premises peacefully and remove the personnel deployed by him within the stipulated period as decided by ISID. The decision of ISID authority in this regard shall be final and binding upon the contractor.
- c) In case of breach of any of the terms & conditions of the agreement, the Institute shall be at liberty to terminate the contract forthwith without prejudice to the right of the Institute to claim damages on account thereof and the Contractor and his personnel shall vacate the area of operation for this purpose on the expiry of such period. In the event of such termination of the contract, the refund of Security Deposit would be subject to deduction of any dues, penalties or other recoveries etc.

17. FORECLOSURE OF CONTRACT IN FULL OR IN PART

If at any time after issuance of work order, ISID decides to foreclose or reduce the scope of the work and hence not require the whole or any part of the work to be carried out by the contractor, ISID shall give 10 days' notice in writing to that effect to the contractor. In case any such action is taken by ISID, the contractor shall be paid full amount for the quantum of work executed till the date of foreclosure. No compensation, however, shall be paid by ISID for the period of work not executed.

If at any time during the continuance of this contract, the performance in whole or part is prevented or delayed by reason of

18. FORCE MAJEURE

opt to terminate the contract.

war, an act of terrorism, act of hostility by public enemy, civil disruption or sabotage, fire, explosions, epidemics, quarantine restrictions, strikes, lock-outs or natural calamities like flood, earthquake or severely inclement weather, provided notice of the happening of any such eventuality is given by either party to the other within 2 days from the date of occurrence thereof, neither party shall by reasons of such event be entitled to terminate this contract nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance/execution under the contract. Provided also that such performance/execution under the contract should commence as soon as practicable, after such event comes to an end or ceases to exist, and the decision of ISID as to whether the performance has been so resumed or not shall be final and conclusive. Provided further that if the performance in whole or in part of the execution under this contract is prevented or delayed by reasons of any such event for a period exceeding 60 days, either party may

19. SUBLETTING / SUBCONTRACTING

Subletting or subcontracting of the contract, either in full or part, is not allowed under any circumstance. In other words, the contractor shall not enter into any sub-contract with any person or transfer the contract or any benefit thereunder to any person or firm without written permission and approval of ISID.

20. RESOLUTION OF DISPUTES

(a) Save where expressly stated to the contrary in this contract, any dispute, difference or controversy of whatsoever nature between the parties, however arising under, out of or in relation to this contract including disputes, if any, with regard to any act, decision or opinion of any of the party and so notified in writing by either party to the other, the

- "Dispute" shall in the first instance be attempted to be resolved amicably in accordance with the procedure set forth in para (b) below.
- (b) Either party may require such Dispute to be referred to the concerned officials of ISID and the contractor for amicable settlement. Upon such reference, the two shall meet at the earliest opportunity as per their mutual convenience and in any event within fifteen (15) days of such reference to discuss and attempt to amicably resolve the dispute by mutual consultation. If the dispute is not amicably settled within fifteen (15) days of such meeting, either party may refer the dispute to arbitration in accordance with the provisions of arbitration clause. In such an eventuality, the party intending to start arbitration shall have to give notice to the other party of its intention to commence arbitration as per the Indian Arbitration and Conciliation Act, 2015.

21. ARBITRATION

 In the event of any question, dispute/difference arising under the agreement or in connection herewith (except as to matters the decision of which is specially provided under this contract) the same shall be referred to the sole Arbitration of the Head, ISI, Delhi Centre or his nominee.

The decision of the Arbitrator shall be final and binding on the parties. In the event of such Arbitrator to whom the matter is originally referred is unable to act for any reason whatsoever, the Head, ISI Delhi Centre shall

- appoint another person to act as the Arbitrator in place of the original Arbitrator in accordance with the terms of this agreement. The Arbitrator so appointed shall be entitled to proceed with the reference from the stage which was left by his predecessor or afresh as the case may be. The Arbitrator may give interim award and/or directions, as may be required
- Subject to the aforesaid provisions, the Arbitration & Conciliation Act, 2015 and the rules made thereunder
 and any modification thereof from time to time being in force, shall be deemed to apply to the Arbitration
 proceedings under this clause.

22. MISCELLANEOUS

0

- (i) The workers to be deployed by the contractor should be physically fit and not be suffering from any chronic disease/ailment. They should be of sound physical and mental health and should be free from any physical disability which would interfere in the normal discharge of their duties.
- (ii) The contractor shall deploy adequate manpower as per actual requirements. It will be the responsibility of the contractor to supervise the work of the personnel deployed by him and ensure fast and speedy disposal of work without compromising on the quality of the work.
- (iii) The contractor shall be fully responsible for the safe custody of the materials/equipment/documents relevant to the contract till handling over the materials/documents to the authorized officer of ISID.
- (iv) The contractor is responsible for any accident during duty hours at work site. All medical treatment/medical expenditure incurred for the treatment of the injured worker shall be borne by the contractor.
- (v) ISID reserves the right to award parallel contract or award part of the work to other agency(s) in the event of failure of the contractor to perform the functions as per the WO to the satisfaction of ISID and the same will be at the risk and cost of the contractor.
- (vi) The works shall be strictly carried out as per the latest CPWD specification of work and works manual under the supervision of Engineer (Civil).
- vii) If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.

(vii) After finishing of work, Debris (*Malba*), if any, shall be removed by the bidder at his own cost. No extra cost will be bear in this regards. The payments will be made after removing of malaba.

SITE VISIT REQUIREMENT

It is mandatory for all prospective bidders to undertake a site visit 21.3.2025 to 1.4.2025 before submitting their bids. The purpose of the site visit is to provide the bidders with a comprehensive understanding of the site requirements and the conditions that may affect the execution of the work.

Failure to undertake a site visit will result in the automatic rejection of the submitted bid. Bidders are required to arrange their own site visit and cover all costs associated with it. The site visit schedule and contact details of the authorized personnel to be contacted for scheduling the site visit will be provided in the tender document.

Bidders must ensure that they have obtained all necessary information and have a complete understanding of the site

requirements before submitting their bids. The Client will not entertain any requests for clarification or modification of the tender document after the bid submission deadline.

By submitting their bids, bidders acknowledge that they have undertaken a site visit and have a complete understanding of the site requirements. The Client reserves the right to verify the authenticity of the site visit undertaken by the bidders.

24. Pre Bid Meeting

23.

It is mandatory for all prospective bidders to undertake a pre-bid meeting. The Pre-bid meeting shall be held on date, time and place as mentioned in the Tender document under the heading of **CRUCIAL DATES** to clarify queries of intending bidders for submission of bid for the work to be undertaken. Pre-bid is mandatory requirement and if any bidder fails to attend the pre-bid meeting it will automatically be disqualified from the tendering process.

25. JURISDICTION

The legal jurisdiction of the contract shall be the High Court of Delhi only.

26. CONTRACT AGREEMENT

The contractor shall execute a formal agreement with ISID on a Non-Judicial Stamp paper of Rs. 100/- or as per rule within a period of 15 days of the issuance of work order by the vendor.

INDIAN STATISTICAL INSTITUTE DELHI CENTRE NEW DELHI – 110 016

DETAILS OF THE BIDDER

Sl. No.	Descriptions	Information to be filled by the tenderer (if required separate sheet may be enclosed)					
1.	Name and address of firm/agency with complete contact details						
2.	Type of Organisation (whether proprietorship, partnership, private limited, limited company)						
3.	Name and address of the Directors, Proprietor/Partners						
4.	Year of formation of the company and years of experience in works of similar nature	THE CONTRACTOR	s er descular poemer og att om ur e og af fredske skylbe oddin er og af skylbe skylbende				
5.	Details of registration of the Firm/Company	R. No.	Copy enclosed: Y/N				
6.	GST No./Certificate	No.:	Copy enclosed: Y/N				
7.	PAN No.	No.:	Copy enclosed: Y / N				
8.	Any other information						

Copies of relevant documents are to be enclosed in support of the above information.

List of major clients, including Govt. Organisations/ Academic Institutions where the bidder has executed similar nature of works:

Sl. No.	Name of details	client	with	contact	Nature of Works	Period	Contract value
1.							
2.	-884						ed a kar a
3.							
4.					pi-ris-during		The state of the
5.							

Copies of relevant work order/ experience certificate are to be enclosed in support of above information.

Undertaking

I hereby certify that all the information furnished is true to the best of my knowledge. I have no objection to the Institute verifying any or all the information furnished in this document with the concerned authorities, if necessary. I also understand that if any of the information is found false at any stage, I am liable to be deregistered from the panel of approved contractors or banned from doing any business dealings with Government Departments or blacklisted or subject to monetary penalties as deemed fit by ISID.

I also certify that I have read and understood all the scope of work, terms and conditions indicated in the tender document and hereby accept all of the same unconditionally.

I agree to the forfeiture of EMD if I fail to comply with all or any of the terms and conditions as laid down in the Tender Enquiry No., which would constitute to have force of a contract between me and ISID if I am declared as a successful bidder.

I also certify that I have signed all the pages of the Tender document with my conscious knowledge.

Signature of the authorized signatory of the agency Official seal/Stamp

PRICE BID/ मूल्य बोली

विषय: - आईएसआई कैम्पस दिल्ली सेंटर नई दिल्ली-110016 में डी22 क्वार्टर में पेंटिंग (आंतरिक कमरे) और शौचालय/स्नानघर और रसोई नवीकरण कार्य।

Subject: - Painting (internal rooms) and toilet/bathrooms and kitchen renovation works in D22 quarter at ISI Campus Delhi Centre New Delhi-110016.

Sr No.	Description of Work	Unit	Qty	Rate	Amount
1	Removing dry or oil bound distemper, water proffing cement paint and the like by scrapping, sand preparing and preparing the surface smooth including necessary repairs to scratches etc. complete	sqm	146.63		
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. Approved samples: - WALL PUTTY BIRLA WHITE/ J.K WHITE/FERROUS CRETE/ SARA PUTTY	sqm	146.63		
3	Distempering with 1 quality acrylic distemper (ready mixed) having voc content less than 50 gram/litre of approved manufacturer and of required shade and colour all complete to achive even shade and colour Approved samples: - ASIAN PAINTS/BERGER PAINTS/SHALIMAR				
	New work (two or more coats) over and including water thinnable priming coat with cement primer having voc content less than 50 gram/litre	sqm	146.63		mand to
4	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In- Charge.		e de serve		
	With cement mortar 1:4 (1cement: 4 coarse sand)	sqm	26.354		
5	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:				
	Of area 3 sq. metres and below	each	8.0		
6	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Approved samples: - ASIAN/BERGER/ ICI(DULUX)/				

	NEROLAC/ ALTEK				
	One or more coats on old work	sqm	35.32		
7	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. Approved samples: - JAQUAR /KOHLER/GROHE/TOTO/PARRYWARE/ROCA/CERA				
	15 mm nominal bore	each	5		
8	Providing and Fixing kitchen Sink wall mounted Mixer Tap Brass, Water Mixture Faucet with Foam Flow, Quarter Turn, 360 Degree Movable Spout Approved samples: - JAQUAR /KOHLER/GROHE/TOTO/PARRYWARE/ROCA/CERA	each	1		
2	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 Approved samples: - JAQUAR /KOHLER/GROHE/TOTO/PARRYWARE/ROCA/CERA				× ×
	15mm nominal bore	each	8		
10	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:-				
	(a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer	each	1	hear in	
11	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.				
	Approved samples: - ASTRAL/ AJAY FLOWGUARD / ASHIRWAD/ PRINCE/SUPREME/FINOLEX/SFMC		mark A		
	Concealed work, including cutting chases and making good the walls etc.				
	20 mm nominal dia Pipes	meter	36.935		
12	Providing and fixing uplasticised PVC connection pipe with brass unions:				
	45 cm length				

	15 mm nominal bore	each	7 =	
13	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Approved samples: - NEELKANTH/NIRALI/CERA/HINDWARE			
	Kitchen sink without drain board	9-55		
	610x510 mm bowl depth 200 mm	each	1	
14	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			
	Flexible pipe			
	32 mm dia	each	2	aī.
15	Providing and Fixing Round with Plain Jali Floor Drain Premium Stainless Steel 4 nches (Hole without hole)	each	3	8
16	Providing and Fixing C P Waste Coupling 32 mm Full Brass	each	1	
17	Providing and Fixing of PVC Bend (50 mm x 600 mm)	each	1	
18	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:			
	Approved samples: - JAQUAR/TOTO/KOHLER/PARRYWARE/HINDWARE/ROCA			
	W.C. pan with ISI marked white solid plastic seat and lid (S/P) Trap	each	-1	
19	Providing and Fixing of CP concealed body and exposed Part-1/2 " full set	each	2	
20	Providing and Fixing Overhead Shower4-INCH Overhead Shower With Stainless Steel Arm and Flange, Chrome Finish Approved samples: - JAQUAR /KOHLER/GROHE/TOTO/PARRYWARE/ROCA/CERA	each	1	
21	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required Size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement mixed with matching pigment, epoxy			

	touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm				
	Granite stone slab all colour and texture except black, Cherry/ Ruby red		Hilmon.		
	Area of slab over 0.50 sqm	sqm	3.90		
22	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc, complete as per design approved by Engineer-in-Charge.				
	Granite work	meter	5.72	Best Maria	
23	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the anufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. Approved samples : - KAJARIA/H & R.JOHNSON/NITCO/SOMANY./VARMORA	sqm	51.61		
24	Providing and fixing to existing door frames.	n - a	NE Dry	i a	
	30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	sqm	3.15		
25	Providing and fixing IS:12817 marked stainless steel butt hinges (heavyvveight) with stainless steel screws etc. complete:	De 1973			
,	125x64x2.50 mm	each	6	The Vision	
26	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: Approved samples: - DORMA /HAFELE /GEZEI/KICH/GODREJ/HARDWYN /BECKER FIRE SOLUTION/MARSHALL				

	300x16 mm	each	5		
27	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: Approved samples: - DORMA /HAFELE /GEZEI/KICH/GODREJ/HARDWYN /BECKER FIRE				
	SOLUTION/MARSHALL 300x10 mm	each	1		
	300X10 Hilli	each	4		
28	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: Approved samples: - DORMA /HAFELE /GEZEI/KICH/GODREJ/HARDWYN /BECKER FIRE SOLUTION/MARSHALL				
	125 mm	esch	12		
29	Providing and fixing aluminium hanging floor door stopper, ISI marked, 18nodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
	Twin rubber stopper	each	4		
30	Providing and fixing curtain rods of 1 .25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C.P. brass screws and wooden plugs, etc., wherever necessary complete	Contraction of the Contraction o			
	25 mm dia	meter	9.81		
31	Dismantling G.I. pipes (external/internal work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge:				
	15 mm to 40 mm nominal bore	metre	36.94		
32	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	each	1	Ener	
33	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in Charge.	each	1		
34	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	sqm	51.56		

35	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete Approved samples: - H & R JOHNSON/KAJARIA/NITCO/VARMORA/SOMANY	sqm	7		
36	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
	1:2:4 (1 Cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	cum	0.73		
37	12 mm cement plaster of mix :		Miles I		
	1:4 (1 cement: 4 fine sand)	sqm	51.56		
38	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Approved samples: - AIS/ATUL/SAINT GOBAIN/MODIGUARD				
111X	Rectangular shape 453x357 mm	each	1		
39	Providing and Fixing BATH ACCESSORIES Stainless Steel 24 Inch Towel Rod Approved samples: - JAQUAR /KOHLER/GROHE/TOTO/ PARRYWARE/ROCA	each	1		
40	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	cum	0.73	T-diss	
41	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-incharge.				
	In cement mortar	cum	1.29		

	Brick work with common burnt clay F.P.S. (non modular) bricks				
42	of class designation 7.5 in superstructure above plinth level up to				
42	floor V level in all shapes and sizes in:				
	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	0.69		
	Providing and fixing C.P. Brass extension nipple (size	each	16		
43	15mmx50mm) of approved make and quality as per direction of Engineer-in-charge.	Cacii		L 15 365	
	STATE OF STA	(1		
1 2	Providing and fixing 600x120x5 mm glass shelf with edges round	mg gW [
	off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws,			ed introduction	Mrs.
	rawl plugs etc., complete.	each	1	Land State State	
44	Auth prage cest, complete.		-	no read	
	Approved samples : - JAQUAR /KOHLER/GROHE/TOTO/	1	1		
	PARRYWARE/ROCA/CERA	1 - 112		Harris Vie	
	Malaba removing out of the campus including all waste material				
	(chinasanitaryware/wooden pmaterial/brken pieces glass/waste	1 job	1		
45	jute) dumped at approved municipal dumping ground and	1 300			2011
(GI/CPVC/IRON Material may be dumped at ISI store Room.	((SAME OF STREET	
	Providing and fixing fly proof stainless steel grade 304 wire gauge,				
46	to windows and clerestory windows using wire gauge with average	and the state of the			
40	width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.			mile - St	
	With 2nd class teak wood beading 62X19 mm	sqm	3.78		
				- 1001.4	
100	Providing and fixing plywood 18 mm thick, for plain lining / cladding with necessary screws, including priming coat on	sqm	32.14		B-4 78
47	unexposed surface with:	HITE BE I	32.14	15 ISSUE T-	
1				and the second	
40	Painting with synthetic enamel paint of approved brand and manufacture				
48	to give an even shade:			CONT.	
,	Two or more coats on new work over an under coat of suitable shade with	sqm	40.68		
1	ordinary paint of approved brand and manufacture	Sqiii	10.00	15 Exa	9.0
	Providing and fixing 2nd class teak wood lipping/ moulded				
	beading or taj beading of size 18X5 mm fixed with wooden		.01	BALL STATE	
49	adhesive of approved quality and screws/nails on the edges of the	meter	77.04		
47	Pre-laminated particle board as per direction of Engineer-in-	-	-	Maria area	
	charge.		E		
	Providing & Fixing decorative high pressure laminated sheet of plain /	Propries			
	wood grain in gloss / matt/ suede finish with high density protective	The state		of the second	15
50	surface layer and reverse side of adhesive bonding quality conforming to	1,800		offs in small states	eth to
	IS: 2046 Type S, including cost of adhesive of approved quality.		11000		
	1.0 mm thick	sqm	6.91		
	Partition of the state of the s				
51	Providing M.S. Piano hinges ISI marked IS: 3818 finished with nickel plating and fixing with necessary screws etc., complete.	Set Year	ma Wiles	a	
21	planing and fixing with necessary serews etc., complete.		Market III		SIR 18
				The second second second	

	Overall width 35 mm	meter	21.30	
52	Providing and fixing 50 mm bright finished brass cup board or wardrobe knob of approved quality with necessary screws.	each	22	
53	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.		1000	
	Size 50 mm	each	7	
54	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.	7		
	Double strip (horizontal type)	each	42	
	Window Renovation			
55	ECO - 4000 Series Windows Providing & fixing Windows/ ventilators fabricated from roll framed sections made of Galvanized Steel Colour Coated/ Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/ Sqr. Mtr.) with total coated thickness of thickness of 0.60mm.			
	Paint Specifications:			
T (a	Coated sections should be with Primer coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester paint of 12-16 microns thick or Powder Coated with pure Polyester up to 50-60 microns thick.			
	Dimensions of Sections:	e syyth	white.	
	Sections for Frame should be of 72mm x 55mm, Section for Mullion should be of 72mm x 50mm, Section for Shutter Frame should be of 47MM X 20mm, Section for Fixed Glass Bead should be of 12mm x 12mm, and Section for Fly Mesh should be of 40mm x 20mm.			
	Fixing Details:			
	Section for Frame Glazed Shutters and Mesh Shutters should be cut to length and miter joined with Polypropylene Corner Brackets, Mullion Section should be joined with Frame/Mullion using Mullion Cap Ethyl Propylene Damien Monomer (EPDM) Gasket should be used all around glass in shutter and Fixed Glass. Spoon profile should be used around Fly mesh to fix Mesh in Mesh Shutter			
	Assessories: -		<u> </u>	
	Each Glazed Shutter and Mesh shutter should be provided with SS Pivot Hinges — 1 set, Seccolor Handle & Seccolor Stay.			
	Window Frame should be fixed to brick/ concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the through frame.			~
	Glass:			

Glass shutter & Fixed Glass portions should be provided with a glass of SMM Plain Float Glass.				
Mesh:				
Mesh Shutter should be provided with a Stainless Steel 32 gauge Fly mesh of 304 grades with 144 holes per square Inch.				
Grill:				
windows should be provided with Grill made of 10mm sq. MS Bars welded th at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.	sqm	5,204		
Total (inclusive GST/Taxes)	Rs./-			

उप मुख्य कार्यकारी (प्रशासन) दिल्ली केंद्र Dy. Chief Executive (Admin) Delhi Centre

एजेंसी के अधिकृत हस्ताक्षरकर्ता के हस्ताक्षर/आधिकारिक मुहर/स्टाम्प