भारतीय सांख्यिकीय संस्थान दिल्ली केन्द्र

ग्रामः स्टाटिस्टिका, नई दिल्ली फोनः 91.11.41493987 फेक्सः 91.11.41493981 ईमेल : gupta@isid.ac.in

7, एसजेएस, सनसनवाल मार्ग कुतुब होटल के पास कटवारिया सराय नई दिल्ली–110016

No.D/ISI/CIVIL/2014-15/61

Date:- 17/11/2014

[विवरण(QUOTATION)]

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते है . विवरण(quotation) तारिख

21/11/2014 या उससे पहले इस कार्यालय को मिलने चाहिये . विवरण(quotation) उसी दिन आपके

समक्ष या आपके अनुपस्थिति में 3.00 बजे खोले जायेंगे .

Name of work : Providing and fixing of aluminium door and assessories, and laying of kerb stone in the electrical substation area in ISI Campus, Delhi Centre, New Delhi.

Sr. No.	Description of work	Unit	Qty	Rate	Amount
1	Surface dressing of the ground including removing vegetation and in- equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.		diy	nate	Anoun
	All kinds of soil	sqm	184.6		
2	laying horizontally on the ground 60mm thick EXISTING factory made cement concrete kerb stone block of M -30 grade and including 50mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the of Engineer-in-charge.(kerb stone provided by deptt.)	cam	184.6		
3	lifting and shifting of kerb stone within the area.	sqm	184.6		
	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):				
	fixed For portion				
	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	kg	165		
5	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:				

Sr. No.	Description of work	Unit	Qty	Rate	Amoun
	12823 Grade I Type II, in panelling fixed in aluminum doors,				
	windows shutters and partition frames with C.P. brass / stainless				
	steel screws etc. complete as per architectural drawings and				
	directions of engineer-in-charge.				
	Pre-laminated particle board with decorative lamination on both				
	sides	sqm	4.317		
	DOOR				
	Providing and fixing glazing in aluminium door, window,				
	ventilator shutters and partitions etc. with EPDM rubber /				
6	neoprene gasket etc. complete as per the architectural drawings				
	and the directions of engineer-in-charge . (Cost of aluminium				
	snap beading shall be paid in basic item):				
	With float glass panes of 8 mm thickness	sqm	3.78		
	Shutter Repairing work-removing -refixing-oiling and greasing	Sym	5.76		
7		l/s	5		
8	Applying priming coat :				
	With ready mixed red oxide zinc chromate primer of approved				
	brand and manufacture on steel galvanised iron/ steel works	sqm	63		
9	Painting on G.S. sheet with synthetic enamel paint of approved			1	
	brand and manufacture of required colour to give an even shade				
	Old work (one or more coats)	cam	63		
	Providing and fixing double action hydraulic floor spring of	sqm	03		
	approved brand and manufacture conforming to IS : 6315,				
	having brand logo embossed on the body / plate with double				
	spring mechanism and door weight upto 125 kg, for doors,				
10	including cost of cutting floors, embedding in floors as required				
	and making good the same metabing to the suitiling in				
	and making good the same matching to the existing floor				
	finishing and cover plates with brass pivot and single piece M.S.				
	sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.				
	With stainless steel cover plate minimum 1.25 mm thickness				
	Providing and fixing aluminities to be been all and the second se	each	2		
11	Providing and fixing aluminium tubular handle bar 32 mm outer				•
	dia,3.0 mm thick & 2100 mm long with SS screws etc .complete				
	as perdirection of Engineer-in-Charge.				
	Anodized (AC 15) aluminium tubular handle bar	each	3		
	Providing and fixing 100mm brass locks (best make of approved		-		
12	quality) for aluminium doors including necessary cutting and	oach	2		
	making good etc. complete.	each	2		
				Total	

Schewong

अभियंता सिविल 'अ'

भूषा वोसडी

Sr. No.	Description of work	Unit	Qty	Rate	Amount
सूचना					

1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .

2. सिविल कार्य नए सि पि डब्लू डी विवरण(specification) सहित व सिविल अभियंता के शमक्श होना चाहिये .

3. कार्य आदेश मिलने के बाद 20 दिन के भीतर कार्य समाप्त होना चाहिए

4. विवरणकर्त्ता(quotationer) विवरण फार्म(quotation) के साथ "डी वट" "पन नम्बर " "टिन नम्बर " लगाना अनिवार्य है .

प्रति :-

1. सूचना पलट

2. वेब स्थल आई एस आई दिल्ली केन्द्र