## भारतीय सांख्यिकी संस्थान दिल्ली केंद्र

ग्राम स्टास्टिस्टिका , नई दिल्ली

फ़ोन : .41493984 फैक्स : 41493981

ईमेल : kalam@isid.ac.in



7, एस जे एस , सनसनवाल मार्ग , कृत्ब होटल के पास कटवरिया सराय नई दिल्ली

## निविदा आमंत्रित सूचना

निविदा नं. D /ISI /CIVIL WORK /2016 -2017 /2) २

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते है . विवरण(quotation) तारिख 13/07/2016 उससे पहले इस कार्यालय को 3.00 बजे तक मिलने चाहिये . विवरण(quotation) उसी दिन आपके समक्ष या आपके अनुपस्थिति में 3.30 बजे खोले जायेंगे .

Name of work - Painting Works in C-1, in ISI Campus Delhi Centre, New Delhi-110016

Sr No.	Description of item of work	Unit	Qty	Rate	Amount
1	Providing wood work in frames of doors, windows, clerestory	0	4.7	Nuic	Amount
	windows and other frames, wrought framed and fixed in				
	position with hold fast lugs or with dash fasteners of				
	required dia & length ( hold fast lugs or dash fastener shall				
	he paid for capanataly)			K 1	
	Kiln seasoned and chemically treated hollock wood	cum	0.02241		
	beading or taj beading of size 18X5 mm fixed with wooden				
2	adhesive of approved quality and screws/ nails on the edges		6.5		
_	of the Pre-laminated particle board as per direction of	meter			
	Engineer-in-charge.				
	Providing & fixing fly proof wire gauze to windows, clerestory				
3	windows & doors with M.S. Flat 15x3 mm and nuts & bolts				
	complete				
	Galvanised M.S. Wire gauze with 0.63 mm dia wire and 1.4 mm	cam	1.455		
	aperture on both sides	sqm	1.455	12	
4	Providing and fixing IS: 12817 marked stainless steel butt				
	hinges with stainless steel screws etc. complete : 125x64x1.90 mm				
		each	9		
5	Providing and fixing ISI marked oxidised M.S. door latches				
	conforming to IS:5930 with screws etc. complete:				
		each	1		
6	Providing and fixing ISI marked oxidised M.S. handles				
	conforming to IS:4992 with necessary screws etc. complete:				
	125 mm	each	6		
	Providing and fixing ISI marked oxidised M.S. tower bolt				
	black finish, (Barrel type) with necessary screws etc.				
	complete:				
	250×10 mm	each	3		
	Providing and fixing aluminium sliding door bolts, ISI marked				r -
	anodised anodic coating not less than grade AC 10 as per IS:				
	1868), transparent or dyed to required colour or shade, with				
	nuts and screws etc. complete:				

Sr No.	Description of item of work	Unit	Qty	Rate	Amount
	300 x 16 mm	each	2		
9	Applying priming coat :				
	With ready mixed pink or Grey primer of approved brand and	sqm			
	manufacture on wood work (hard and soft wood)		2.0898		
	Repairs to plaster of thickness 12 mm to 20 mm in patches of				
	area 2.5 sq. meters and under, including cutting the patch in				
10	proper shape, raking out joints and preparing and plastering				
	the surface of the walls complete, including disposal of				
	rubbish to the dumping ground within 50 metres lead:				
	With cement mortar 1:4 (1 cement : 4 fine sand)	sqm	4.4992		
	Removing dry or oil bound distemper, water proofing cement	1	1.1772		
11	paint and the like by scrapping, sand papering and preparing		216.926		=
	the surface smooth including necessary repairs to scratches	sqm			
	etc complete				
12	Distempering with oil bound washable distemper of approved	com	216.926		
	brand and manufacture to give an even shade:	sqm	210.920		
2	Old work (one or more coats)				
	Providing and applying white cement based putty of average				
13	thickness 1 mm, of approved brand and manufacturer, over				
	the lastered wall surface to prepare the surface even and				
	smooth complete 40 % paid of actual area		04.7700		
	Painting with synthetic enamel paint of approved brand and	sqm	86.7703		
14	manufacture of required colour to give an even shade :				
	One or more coats on old work		07.0044		
	Providing and fixing aluminium hanging floor door stopper,	sqm	97.8846		
	ISI marked, anodised (anodic coating not less than grade AC				
15	10 as per IS: 1868) transparent or dyed to required colour				
	and shade, with necessary screws etc. complete.				
	Single rubber stopper		7		
16	Dismantling doors, windows and clerestory windows (steel or	each	7		
	wood) shutter including chowkhats, architrave, holdfasts etc.			-	
	complete and stacking within 50 metres lead:				
	Of area 3 sq. metres and below				
17 E	Providing and fixing ISI marked flush door shutters	each	12		
	conforming to IS: 2202 (Part I) non-decorative type, core of				
	block board construction with frame of 1st class hard wood				
	and well matched commencial 3 - house arise and wood				
	and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of				
	1 and the second				
	35 mm thick including ISI marked Stainless Steel butt hinges		2.24		
	with necessary screws	sqm	3.36		
	Total (inclusive taxes)			Total	

अभियंता सिविल 'अ'

के स्थान के अरसड़ी

Sr No.	Description of item of work	Unit	Qty	Rate	Amount

## सूचना

- 1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .
- 2. कार्य विवरण(specification) सहित व सिविल अभियंता के शमक्श होना चाहिये .
- 3. कार्य आदेश मिलने के बाद 15 दिन के भीतर कार्य समाप्त होना चाहिए.
  - 4. विवरणकर्ता(quotationer) विवरण फार्म(quotation) के साथ ''डी वट'' ''पन नम्बर '' ''टिन नम्बर '' लगाना अनिवार्य है .
- 5. The quantity will be increased or decreased as per the actual site condition.
- 6. विवरण फार्म(quotation) सिग्नेचर किये बगैर और स्टाम्प लगाये बगैर मिला तो सीधे सीधे निरस्त किया जाएगा .
- 7. कोटेशन में दिए गए आपके कुल राशि पर टैक्सेज एप्लीकेबल रहेंगे.
- 8. माल ढ्लाई का अतिरिक्त किराया भाड़ा या क्रियर भाड़ा नहीं दिया जायेगा.
- 9. सिक्योरिटी डिपाजिट ५% स्रक्षित जमा राशि आपके क्ल राशि पर ६ महीने के लिए वैध रहेगी.
- 10. एडवांस राशि काम के पहले या बाद में एप्लीकेबल नहीं रहेंगे .
- 11.काम करते समय किसी भी प्रकार का हादसे के लिए ISI Delhi Centre जिमेदार नहीं रहेगी.
- 12. The ISI Delhi Centre reserve the right the whole tender process may be treated as a cancelled/terminated at any stage without assisgning any reason. प्रति :-
- 1. सूचना पलट
- 1. वेब स्थल आई एस आई दिल्ली केन्द्र