


भारतीय सांख्यिकी संस्थान  
दिल्ली केंद्र



ग्राम स्टैटिस्टिका, नई दिल्ली  
फ़ोन : 41493984  
फैक्स : 41493981  
ईमेल : [kalam@isid.ac.in](mailto:kalam@isid.ac.in)

7, एस जे एस, सनसनवाल मार्ग,  
कुतुब होटल के पास  
कटवरिया सराय  
नई दिल्ली

निविदा आमंत्रित सूचना

निविदा नं. D /ISI /CIVIL WORK /2018 -2019 / 329

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते हैं . विवरण(quotation) तारीख 30/01/2018 या उससे पहले इस कार्यालय को 3.00 बजे तक मिलने चाहिये . विवरण(quotation) उसी दिन आपके समक्ष या आपके अनुपस्थिति में 3.30 बजे खोले जायेंगे .

Name of work - Supplying and Fixing Windows, Ventilators fabricated from roll formed sections made of Galvanized Steel Colour Coated/ Powder Coated with including of paint specification/dimension specification/fixing details and accessories with one year contract (as as when need basis)(approved sample kept in ISI) in ISI Campus Delhi Centre, New Delhi-110016 ( **FOR WORK IN A-10**)

Sr No.	Description of item of work	Unit	Qty	Rate	Amount
1	Providing and fixing Windows, Ventilators fabricated from roll formed sections made of Galvanized Steel Colour Coated/ Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/ Sqr. Mtr.) with total coated thickness of 0.60 mm				
	<b>Paint specifications:</b>				
	Coated Sections should be coated with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick.				
	<b>Dimensions of Sections: -</b>				
	Sections for Frame should be of 72mm X 50mm, Section for Mullion should be of 72mmX50mm, Section for Shutter Frame should be of 47mm X 20mm, Section for Fixed Glass Bead should be of 12mmX12mm, and Section for Fly mesh should be of 40mm X 20mm.				
	<b>Fixing Details:-</b>				
	Section for Frame Glazed Shutters and Mesh Shutters should be cut to length and miter joined with Polypropylene Corner Brackets, Mullion Section should be joined to the Frame/ Mullion using Nylon cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter and Fixed Glass. Rubber Gasket should be used around Fly mesh to fix Mesh in Mesh Shutter				
	<b>Accessories:-</b>				
	Each Glazed Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay				
	ECO - 4000 SERIES	Sqm	21.49		
2	Providing and Fixing of 5 mm plain glass with as per the specification and sample kept in ISI	Sqm	21.49		
3	Providing and Fixing of 10 mm square bar grill as per the specification and sample kept in ISI.	Sqm	21.49		
4	Providing and Fixing of Stainless Still wiremesh as per the specification and sample kept in ISI.	Sqm	21.49		
	Total (inclusive taxes GST )				
	Rebate /Discount if any				
	Total (inclusive taxes GST )				

## सूचना

1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .
2. कार्य विवरण(specification) सहित व सिविल अभियंता के शमकश होना चाहिये .
3. कार्य आदेश मिलने के बाद 15 दिन के भीतर कार्य समाप्त होना चाहिए.
4. विवरणकर्ता(quotationer) विवरण फार्म(quotation) के साथ "डी वट" "पन नम्बर " "टिन नम्बर " लगाना अनिवार्य है .
5. The quantity will be increased or decreased as per the actual site condition. The payment will be made in an actual basis.
6. विवरण फार्म(quotation) सिग्नेचर किये बगैर और स्टाम्प लगाये बगैर मिला तो सीधे सीधे निरस्त किया जाएगा .
7. कोटेशन में दिए गए आपके कुल राशि पर टैक्सेज एप्लीकेबल रहेंगे.
8. माल ढुलाई का अतिरिक्त किराया भाड़ा या कुरियर भाड़ा नहीं दिया जायेगा.
9. सिक्क्योरिटी डिपोजिट ५% सुरक्षित जमा राशि आपके कुल राशि पर ६ महीने के लिए वैध रहेगी.
10. एडवांस राशि काम के पहले या बाद में एप्लीकेबल नहीं रहेंगे .
11. काम करते समय किसी भी प्रकार का हादसे के लिए ISI Delhi Centre जिमेदार नहीं रहेगी.
12. The ISI Delhi Centre reserve the right the whole tender process may be treated as a cancelled/terminated at any stage without
13. The rates quoted by you will be valid one year only. After one year the contract may be terminated/cancelled at any stage

प्रति :-

1. सूचना पलट

1. वेब स्थल आई एस आई दिल्ली केन्द्र

images of specification :-




Fig. 1




Fig. 2