

WALRASIAN EQUILIBRIA OF THE ASSIGNMENT MODEL ^{*}

Debasis Mishra[†] and Dolf Talman[‡]

November 30, 2007

Abstract

We study the assignment model where a collection of indivisible goods are sold to a set of buyers who want to buy at most one good. We characterize the extreme and interior points of the Walrasian equilibrium price space of this model. Our characterizations are in terms of demand sets of buyers. As a corollary to these characterizations, we characterize the minimum and the maximum Walrasian equilibrium price vectors. We also give necessary and sufficient conditions under which the interior of the Walrasian equilibrium price vector space is non-empty. Some of our results are derived by interpreting the Walrasian equilibrium price vectors as *potential* functions of an appropriate directed graph.

JEL CLASSIFICATION: D50, C69, D44

^{*}This paper subsumes our unpublished paper [Mishra and Talman \(2007\)](#).

[†]Corresponding author. D. Mishra. Planning Unit, Indian Statistical Institute, 7 Shahid Jit Singh Marg, New Delhi 110016, India, E-mail: dmishra@isid.ac.in

[‡]A.J.J. Talman. CentER, Department of Econometrics and Operations Research, Tilburg University, P.O. Box 90153, 5000 LE Tilburg, The Netherlands

1 INTRODUCTION

The classical Arrow-Debreu model (Arrow and Debreu, 1954) for studying competitive equilibrium assumes goods to be divisible (commodities). But economies with indivisible goods are common in many types of markets such as housing markets, job markets, and auctions with goods like spectrum licenses. This paper investigates economies with indivisible goods under the assumption that buyers have unit demand, i.e., every buyer can buy at most one good, and quasi-linear utility functions. The unit demand assumption is common, for example, in settings of housing and job markets. Even though buyers can buy at most one good, they have valuations (possibly zero) for every good.

In this model, the existence of a Walrasian equilibrium is guaranteed, and the set of Walrasian equilibrium price vectors form a complete lattice (Shapley and Shubik, 1972). In this paper, we are concerned with a *verification* problem. Suppose the seller announces a price vector, and every buyer submits his demand set, the set of all goods that give him the maximum payoff at the announced price vector. Then, we are concerned with the following verification questions given that the *only information available is the demand set information of buyers*:

1. *How can one verify if the announced price vector is a Walrasian equilibrium price vector?*
2. *How can one verify if the announced price vector is an extreme point or an interior point in the set of Walrasian equilibrium price vectors?*
3. *How can one verify if the announced price vector is the minimum or the maximum Walrasian equilibrium price vector?*¹

To answer the first question, we show that a price vector is a Walrasian equilibrium price vector if and only if no set of goods is *overdemanded* and no set of goods is *underdemanded* at that price vector. Whether a set of goods is overdemanded or underdemanded can be verified using demand set information of buyers only. This characterization of Walrasian equilibrium price vector is pivotal in answering the other questions.

Concerning the second question, we show that every Walrasian equilibrium price vector is a *potential* of an appropriate directed graph. These potentials form a lattice, and we characterize the extreme points of this lattice in terms of shortest paths in the underlying directed graph. This characterization along with the characterization of a Walrasian equilibrium price vector enables us to characterize the extreme points of the Walrasian equilibrium price lattice. These characterizations also require verifications that can be done using demand set information of buyers only. Our characterization shows that at the extreme points

¹ Given the lattice structure of the Walrasian equilibrium price vector space, the minimum and the maximum Walrasian price vectors are well defined.

of the set of Walrasian equilibrium price vectors no subset of some weakly over-demanded set of goods is weakly under-demanded and no subset of some weakly under-demanded set of goods is weakly over-demanded. As a corollary to this characterization, we characterize the minimum and the maximum Walrasian equilibrium price vector, and thus answer the third question.

Finally, we show that a price vector is an interior point of the Walrasian equilibrium price lattice if and only if the demand set of every buyer is a singleton and no two buyers have the same good in their demand sets. So, by changing the valuations of a buyer by sufficiently small amount, an interior Walrasian equilibrium price vector will continue to remain a Walrasian equilibrium price vector. Thus, this characterization shows that the interior points are robust to small changes in *valuations* of buyers. However, the interior of the Walrasian equilibrium price lattice may be empty. We show that an interior Walrasian equilibrium price vector exists if and only if there is a unique efficient allocation and the number of buyers is more than the number of goods.

In summary, we characterize the entire Walrasian equilibrium price vector set using demand set information of buyers. Further, we provide necessary and sufficient conditions for the interior of the Walrasian equilibrium price vector space to be non-empty, i.e., Walrasian equilibrium price vector space to be full-dimensional.

1.1 SIGNIFICANCE OF THE QUESTIONS

The standard assumptions in general equilibrium models is that the prices are *somehow* given, and demand of agents is matched with the available supply. Verifying whether such a price is a Walrasian equilibrium, and if so, the nature of such a Walrasian equilibrium is not well explored. It may be useful in many settings.

As noted earlier, there may be multiple Walrasian equilibrium price vectors, forming a lattice, in our model. Consider a setting where the seller knows the valuations of the buyers on goods, but no buyer knows the values of other buyers. Based on the valuation information, the seller promises to sell the goods to the buyers in a Walrasian equilibrium. Further, the seller may be specific, for various reasons, about the particular Walrasian equilibrium he will use. For example, the minimum Walrasian equilibrium price vector corresponds to the Vickrey-Clarke-Groves payments (Leonard, 1983) and has important incentive properties. Similarly, any interior Walrasian equilibrium price vector is a *robust* Walrasian equilibrium price vector. The question is *how will the seller convince the buyers after selling the goods that he sold the goods at the promised Walrasian equilibrium.*

One possibility is that the seller reveals the valuations of all the buyers to everyone, and let the buyers verify using this valuation information. In many practical settings, however, this may not be possible since the buyers may not want to expose their exact valuations to

fellow buyers.² Another possibility is to reveal *demand sets* of buyers to everyone. Clearly, one can now verify if the proposed allocation and price vector is a Walrasian equilibrium. We show that one can also verify, given the price vector and demand set information, whether the Walrasian equilibrium price vector is an interior point or an extreme point of the Walrasian equilibrium price vector space. Further, one can also verify whether the Walrasian equilibrium price vector is the minimum or the maximum Walrasian equilibrium price vector. Thus, the buyers can verify, ex post, if the seller sold the goods using the promised Walrasian equilibrium by revealing their demand set information, and without revealing their exact valuation information to each other.

There are some drawbacks to this approach. One drawback is that the demand set information can be *inverted* to get valuation information. But most of the times, there are infinitely many valuations that correspond to a demand set. Further, [Segal \(2006\)](#) argues that the demand set approach of verification leads to minimal communication overhead in a variety of settings. While our approach runs the risk of revealing exact valuations in some instances and partial valuation information in many instances, cryptographic techniques may allow for such verification without revealing *any* information. But the success of cryptographic techniques rely on the *bounded rationality* assumptions, and, importantly, it is not clear how cryptographic techniques will work in our setting where the underlying optimization problem is not straightforward.

1.2 RELATED WORK

The literature in the assignment model is long - for a survey, see [Roth and Sotomayor \(1990\)](#). The initial literature focuses on the structure of the set of Walrasian equilibria ([Shapley and Shubik, 1972](#)), its strategic properties ([Leonard, 1983](#); [Demange and Gale, 1985](#)), and the relation with the core of an appropriate cooperative game ([Shapley and Shubik, 1972](#); [Roth and Sotomayor, 1988](#); [Balinski and Gale, 1990](#); [Quint, 1991](#)). The studies of the core for our model is complementary to the study of Walrasian equilibria, since the core and the set of Walrasian equilibria are equivalent ([Shapley and Shubik, 1972](#)). However, this literature does not answer the verification question we address in this work.

There is also a literature that is concerned with the computation of Walrasian equilibrium prices using auction-like processes ([Crawford and Knoer, 1981](#); [Demange et al., 1986](#); [Sankaran, 1994](#); [Sotomayor, 2002](#)). The notion of overdemanded and underdemanded sets of goods, which we use in our characterizations, has been used in this literature. [Demange et al. \(1986\)](#) use the notion of overdemanded goods to design an ascending auction that terminates at the minimum Walrasian equilibrium price vector. Analogously, [Sotomayor \(2002\)](#) uses

²This is specially true in procurement settings, where sellers (suppliers) may be reluctant to reveal their *costs* to fellow suppliers.

the notion of underdemanded goods to design a descending auction that terminates at the maximum Walrasian equilibrium price vector. But both papers do not make any connection between these notions. [Gul and Stacchetti \(2000\)](#) consider a model where they allow a buyer to buy more than one good and having *gross substitutes* valuations. In such a model, a Walrasian equilibrium price vector is guaranteed to exist ([Kelso and Crawford, 1982](#)), and the set of Walrasian equilibrium price vectors form a complete lattice ([Gul and Stacchetti, 1999](#)). For such a model, they provide a generalization of Hall's theorem ([Hall, 1935](#)), which results in a necessary condition for a Walrasian equilibrium. Therefore, they do not characterize the set of Walrasian equilibrium price vectors.

[Gretsky et al. \(1999\)](#) consider our model with a continuum of agents. For this model, several equivalent conditions are derived that are necessary and sufficient for *perfect competition*, i.e., for a unique Walrasian equilibrium price vector to exist. Using our characterizations, we also give necessary and sufficient conditions for perfect competition in our model with finite number of buyers and goods.

2 THE MODEL

There is a set of indivisible goods $N = \{0, 1, \dots, n\}$ for sale to a set of buyers $M = \{1, \dots, m\}$. Each buyer can be assigned to at most one good. The good 0 is a dummy good which can be assigned to more than one buyer. Denote $N_0 = N \setminus \{0\}$ as the set of real goods. The value of buyer $i \in M$ on good $j \in N$ is v_{ij} , assumed to be a non-negative real number. Every buyer has zero value on the dummy good. A **feasible allocation** μ assigns every buyer $i \in M$ a good $\mu_i \in N$ such that no good in N_0 is assigned to more than one buyer. Notice that a feasible allocation assigns every buyer a good (may be the dummy good), but some goods may not be assigned to any buyer. We say good $j \in N$ is **unassigned** in μ if there exists no buyer $i \in M$ with $\mu_i = j$. Let Γ be the set of all feasible allocations. An **efficient allocation** is a feasible allocation $\mu^* \in \Gamma$ satisfying $\sum_{i \in M} v_{i\mu_i^*} \geq \sum_{i \in M} v_{i\mu_i}$ for all $\mu \in \Gamma$.

A price vector $p \in \mathbb{R}_+^{n+1}$ assigns every good $j \in N$ a nonnegative price p_j with $p_0 = 0$. We assume quasi-linear utilities. Given a price vector p , the payoff of buyer $i \in M$ on good $j \in N$ at price vector p is $v_{ij} - p_j$. The **demand set** of buyer i at price vector p is $D_i(p) = \{j \in N : v_{ij} - p_j \geq v_{ik} - p_k \ \forall k \in N\}$.

DEFINITION 1 A **Walrasian equilibrium (WE)** is a price vector p and a feasible allocation μ such that

$$\mu_i \in D_i(p) \quad \text{for all } i \in M \tag{WE-1}$$

and

$$p_j = 0 \quad \text{for all } j \in N \text{ that are unassigned in } \mu. \tag{WE-2}$$



Figure 1: Lattice nature of WE prices

If (p, μ) is a WE, then p is a **Walrasian equilibrium price vector** and μ is a **Walrasian equilibrium allocation**.

It is well known that a Walrasian equilibrium allocation is efficient and that the set of WE price vectors, which is non-empty, form a complete lattice (Shapley and Shubik, 1972). This implies the existence of a unique minimum WE price vector (p^{min}) and a unique maximum WE price vector (p^{max}). Of all the WE price vectors, p^{min} stands out since it corresponds to the Vickrey-Clarke-Groves (VCG) payments of buyers assigned to them in a WE (Leonard, 1983). The VCG payments are defined as the *externality* of a buyer on the remaining buyers (Vickrey, 1961; Clarke, 1971; Groves, 1973), and the VCG mechanism is an efficient and *strategy-proof* mechanism.

The lattice corresponding to the WE price vectors is of a special shape - known as the “45 degree”-lattice (Quint, 1991). In case of three buyers and two goods with values $v_{11} = 5$, $v_{12} = 3$, $v_{21} = 3$, $v_{22} = 4$, $v_{31} = 2$, $v_{32} = 2$, the lattice shape of the WE price vector set is shown in Figure 1. Notice that the boundary of the lattice is defined by lines that are either parallel or at 45 degrees to the axes. For any two price vector p and p' of equal dimension, we write $p = p'$ if $p_j = p'_j$ for all j . If there exists a j at which $p_j \neq p'_j$, then we write $p \neq p'$. If $p_j \geq p'_j$ for all j then we write $p \geq p'$ or $p' \leq p$. If $p \geq p'$ but $p \neq p'$, then we write $p \succcurlyeq p'$ or $p' \preccurlyeq p$. If there exists some j for which $p_j < p'_j$, then we write $p \not\preccurlyeq p'$ or $p' \not\preccurlyeq p$.

2.1 OVERDEMAND AND UNDERDEMAND

We define **demanders** of a set of goods $S \subseteq N_0$ at price vector p as $U(S, p) = \{i \in M : D_i(p) \cap S \neq \emptyset\}$. We define the **exclusive demanders** of a set of goods $S \subseteq N_0$ at price vector p as $O(S, p) = \{i \in M : D_i(p) \subseteq S\}$. Clearly, for every p and every $S \subseteq N_0$, we have $O(S, p) \subseteq U(S, p)$. We denote the cardinality of a finite set S as $\#S$. Given a price vector p , define $N^+(p) = \{j \in N : p_j > 0\}$. By definition $0 \notin N^+(p)$ for any p .

DEFINITION 2 *A set of goods S is (weakly) overdemanded at price vector p if $S \subseteq N_0$ and $\#O(S, p)(\geq) > \#S$.*

The notion of overdemanded sets of goods can be found in [Demange et al. \(1986\)](#) and [Sankaran \(1994\)](#), who use it as a basis for the design of ascending auctions for our model. For settings where a buyer can buy more than one good, the notion of overdemanded goods has been generalized in [Gul and Stacchetti \(2000\)](#) and [de Vries et al. \(2007\)](#), who also use it as a basis for the design of ascending auctions for general models.

DEFINITION 3 *A set of goods S is (weakly) underdemanded at price vector p if $S \subseteq N^+(p)$ and $\#U(S, p)(\leq) < \#S$.*

The notion of underdemanded sets of goods can be found in [Sotomayor \(2002\)](#), who uses it to design descending auctions for our model.³ Both concepts give us an idea about the imbalance of supply and demand in the economy, albeit differently. A measure of total demand on a set of goods is obtained by counting the number of exclusive demanders of these goods in the notion of sets of overdemanded goods and by counting the number of demanders of these goods in the notion of sets of underdemanded goods. However, the dummy good is never part of a set of overdemanded goods and zero priced goods, which always includes the dummy good, are never part of sets of underdemanded goods. In some sense, the existence of sets of overdemanded (underdemanded) goods at a price vector indicates that there is excess demand (supply) in the economy. Since both overdemanded and underdemanded sets of goods may exist at a given price vector, excess demand and excess supply can exist simultaneously in the economy.

3 WALRASIAN EQUILIBRIUM CHARACTERIZATION

In this section, we give a characterization of the Walrasian price vectors. Our characterization is based on the notions of sets of overdemanded and underdemanded goods. Define $M^+(p) =$

³There is a slight difference between our definition of underdemanded goods and the definition in [Sotomayor \(2002\)](#). [Sotomayor \(2002\)](#) assumes the existence of a dummy buyer who demands every good with zero price and who can be allocated more than one good. Then, a set of goods S is underdemanded in [Sotomayor \(2002\)](#) at a price vector p if every good in N is demanded by a buyer (possibly the dummy buyer), $S \subseteq N^+(p)$ and $\#U(S, p) < \#S$.

$\{i \in M : 0 \notin D_i(p)\}$ for any price vector p . Notice that $M^+(p) = O(N_0, p)$. Now, consider the following lemmas.

LEMMA 1 *Suppose no set of goods is overdemanded. Then there exists a feasible allocation in which every buyer is assigned a good from his demand set.*

Proof: Since N_0 is not overdemanded, $\#N_0 \geq \#O(N_0, p) = \#M^+(p)$. Consider $S \subseteq M^+(p)$. Let $T = \cup_{i \in S} D_i(p)$. Since $0 \notin T$ and T is not overdemanded, we get $\#T \geq \#O(T, p) \geq \#S$. Using Hall's theorem (Hall, 1935), there is a feasible allocation in which every buyer i in $M^+(p)$ can be assigned a good in $D_i(p)$, and every buyer in $M \setminus M^+(p)$ can be assigned the dummy good 0, which is in his demand set. ■

LEMMA 2 *Suppose no set of goods is underdemanded. Then there exists a feasible allocation in which every good in $N^+(p)$ is assigned to a buyer who is a demander of that good.*

Proof: Since $N^+(p)$ is not underdemanded, $\#N^+(p) \leq \#U(N^+(p), p) \leq \#M$. Consider $T \subseteq N^+(p)$. Let $S = U(T, p)$. Since T is not underdemanded, $\#T \leq \#U(T, p) = \#S$. Using Hall's theorem (Hall, 1935), there is a feasible allocation in which every good in $N^+(p)$ can be assigned to a buyer who is a demander of that good, and the remaining buyers can be assigned the dummy good. ■

The absence of only overdemanded or only underdemanded sets of goods cannot guarantee a WE price vector. For instance, consider an example with a single good and three buyers with values 10, 6, and 3. A WE price is any price between 6 and 10. At any price higher than 10, the good is not overdemanded but it is not a WE price. Similarly, at any price between 3 and 6, the good is not underdemanded but it is not a WE price. In some sense, Lemma 1 says that condition (WE-1) in Definition 1 is satisfied in the absence of overdemanded goods, but condition (WE-2) may be violated. Similarly, Lemma 2 says that condition (WE-2) in Definition 1 is satisfied in the absence of underdemanded goods, but condition (WE-1) may be violated. However, the WE prices can be precisely characterized by the absence of both overdemanded and underdemanded sets of goods.

THEOREM 1 *A price vector p is a WE price vector if and only if no set of goods is overdemanded and no set of goods is underdemanded at p .*

Proof: Suppose p is a WE price vector. By condition (WE-2), there exists a feasible allocation in which every good in $N^+(p)$ can be assigned to a unique demander of that good. Hence no set of goods is underdemanded. If some set of goods, say, $S \subseteq N_0$, is overdemanded, then condition (WE-1) will fail for some buyer in $O(S, p)$ in every feasible allocation, which is impossible since p is a WE price vector. Hence, no set of goods can be overdemanded.

Suppose now that no set of goods is overdemanded and no set of goods is underdemanded at price vector p . By Lemma 1 there is a non-empty set of feasible allocations Γ^* that allocates every buyer a good from his demand set. Choose an allocation $\mu \in \Gamma^*$ for which the number of goods from $N^+(p)$ that is allocated in μ is maximal over all the allocations in Γ^* . Let us call such an allocation a maximal allocation in Γ^* . Let $T^0 = \{j \in N^+(p) : \mu_i \neq j \forall i \in M\}$. If $T^0 = \emptyset$, then by definition (p, μ) is a WE. We will show that T^0 is empty. Assume for contradiction that T^0 is not empty.

We first show that for every buyer $i \in M$, if $\mu_i \notin N^+(p)$ then $T^0 \cap D_i(p) = \emptyset$. Assume for contradiction that for some $i \in M$ with $\mu_i \notin N^+(p)$ there exists $j \in T^0 \cap D_i(p)$. In that case, we can construct a new allocation μ' in which $\mu'_i = j$ and $\mu'_k = \mu_k$ for all $k \neq i$. Allocation μ' is in Γ^* and assigns one good more from $N^+(p)$ than μ does. This is a contradiction since μ is a maximal allocation in Γ^* . As a result of this, the demanders of T^0 are assigned to goods in $N^+(p) \setminus T^0$. Let $X^0 = U(T^0, p)$. So, $X^0 \subseteq \{i \in M : \mu_i \in N^+(p) \setminus T^0\}$. Now, for any $k \geq 0$, consider a sequence $(T^0, X^0, T^1, X^1, \dots, T^k, X^k)$, where for every $1 \leq q \leq k$, T^q is the set of goods assigned to buyers in X^{q-1} in μ and $X^q = U(\cup_{r=0}^q T^r, p) \setminus U(\cup_{r=0}^{q-1} T^r, p)$. Note that by definition $T^q \cap T^r = \emptyset$ for every $q \neq r$.

We show that if $T^q \neq \emptyset$ and $T^q \subseteq N^+(p)$ for all $0 \leq q \leq k$, then there exists $T^{k+1} \neq \emptyset$ such that $T^{k+1} \subseteq N^+(p)$ and $T^{k+1} \cap T^q = \emptyset$ for all $0 \leq q \leq k$. By definition of X^q , $0 \leq q \leq k$, and T^q , $1 \leq q \leq k$,

$$\begin{aligned} \#U(\cup_{q=0}^k T^q, p) &= \#U(\cup_{q=0}^{k-1} T^q, p) + \#X^k \\ &= \sum_{q=0}^k \#X^q \\ &= \sum_{q=1}^k \#T^q + \#X^k. \end{aligned} \tag{1}$$

Since T^0, \dots, T^k are disjoint and $\cup_{q=0}^k T^q \subseteq N^+(p)$ is not underdemanded, we have

$$\#U(\cup_{q=0}^k T^q, p) \geq \sum_{q=0}^k \#T^q. \tag{2}$$

Using (1) and (2), we get $\#X^k \geq \#T^0$. Since T^0 is non-empty, X^k is non-empty. Define T^{k+1} as the set of goods assigned to buyers in X^k in μ . Clearly, T^{k+1} is non-empty and $T^{k+1} \cap T^q = \emptyset$ for every $0 \leq q \leq k$. To show that $T^{k+1} \subseteq N^+(p)$, assume for contradiction that there exists a buyer $i_k \in X^k$ such that $\mu_{i_k} \notin N^+(p)$. By definition of X^k , i_k should demand some good $j_k \in T^k$. Now consider the sequence $(i_k, j_k, i_{k-1}, j_{k-1}, \dots, i_0, j_0)$, where for every $0 \leq q \leq k-1$, i_{q-1} is the buyer assigned to good j_q in μ (note that $i_{q-1} \in X^{q-1}$ by definition) and j_{q-1} is a good demanded by i_{q-1} from T^{q-1} (such a good exists by the definition of X^{q-1} and T^{q-1}). Now, construct an allocation μ' with $\mu'_{i_q} = j_q$ for all $0 \leq q \leq k$

and $\mu'_i = \mu_i$ for any $i \notin \{i_0, \dots, i_k\}$. Clearly, $\mu' \in \Gamma^*$. By assigning i_k to j_k , μ' assigns one good more from $N^+(p)$ than μ does, contradicting the fact that μ is a maximal allocation in Γ^* . Hence $T^{k+1} \subseteq N^+(p)$. This process can be repeated infinitely many times starting from T^0 . So (T^0, T^1, \dots) is an infinite sequence such that $T^q \cap T^r = \emptyset$ for every $q \neq r$, $T^q \neq \emptyset$ for all q , and $T^q \subseteq N^+(p)$ for all q . This is a contradiction since $N^+(p)$ is finite. So, $T^0 = \emptyset$, and therefore (p, μ) is a WE. \blacksquare

The characterization in [Theorem 1](#) shows that given a price vector and the demand sets of buyers, it is possible to check if the given price vector is a WE price vector by checking for the existence of overdemanded and underdemanded sets of goods. In some sense this is a generalization of Hall's theorem ([Hall, 1935](#)) for our model.

In contrast to [Definition 1](#), the characterization in [Theorem 1](#) does not require to compute a feasible allocation to check if a price vector is a WE price vector. [Theorem 1](#) uses only demand set information of buyers to characterize the WE price vectors.

Notice that absence of overdemanded goods requires that there is no excess demand in a weak sense, since we only count the exclusive demanders in checking for overdemanded goods. Similarly, absence of underdemanded goods requires that there is no excess supply in a weak sense, since zero priced goods are not counted while checking for underdemanded goods. [Theorem 1](#) assures the existence of a Walrasian equilibrium at a price vector if there is neither excess demand nor excess supply. This provides a direct economic interpretation of our result.

4 POTENTIALS OF GRAPHS AND WALRASIAN EQUILIBRIUM PRICES

In this section, we interpret Walrasian equilibrium prices as *potential* functions of an appropriate directed graph. Such an interpretation helps us prove several new results, and gives a graph theoretic interpretation to several known results. We begin by defining and proving some concepts related to graph theory.

4.1 POTENTIALS OF STRONGLY CONNECTED GRAPHS

A **graph** is defined by a triple $G = (N, E, l)$, where $N = \{0, 1, \dots, n\}$ is the set of $n + 1$ nodes, $E \subseteq \{(i, j) : i, j \in N\}$ is a set of ordered pairs of different nodes, called edges, and l is a vector of weights on the edges in E with $l_{ij} \in \mathbb{R}$ denoting the length of edge $(i, j) \in E$. As before denote $N_0 = N \setminus \{0\}$. A graph is **complete** if there is an edge between every pair of different nodes.

A **path** is a sequence of *distinct* nodes (i^1, \dots, i^k) such that $(i^j, i^{j+1}) \in E$ for all $1 \leq j \leq k - 1$. If (i^1, \dots, i^k) is a path, then we say that it is a path from i^1 to i^k . A graph is **strongly connected** if there is a path from every node in N to any other node in N .

A **cycle** is a sequence of nodes $(i^1, \dots, i^k, i^{k+1})$ such that (i^1, \dots, i^k) is a path, $(i^k, i^{k+1}) \in E$, and $i^1 = i^{k+1}$. The length of a path or a cycle $P = (i^1, \dots, i^k, i^{k+1})$ is the sum of the edge lengths in the path or cycle, and is denoted as $l(P)$, i.e., $l(P) = l_{i^1 i^2} + \dots + l_{i^k i^{k+1}}$. When there is at least one path from node i to node j , then a **shortest path** from node i to node j is a path from i to j having minimum length over all paths from i to j . We denote the length of a shortest path from i to j as $s(i, j)$. For convenience we define $s(i, i) = 0$ for all $i \in N$.

DEFINITION 4 A **potential** of a graph $G = (N, E, l)$ is a function $p : N \rightarrow \mathbb{R}$ such that $p(j) - p(i) \leq l_{ij}$ for all $(i, j) \in E$. For any $j \in N$, a **j -potential** of a graph G is a potential p of graph G such that $p(j) = 0$.

LEMMA 3 ((Gallai, 1958)) *There exists a potential of graph G if and only if G has no cycles of negative length.*

LEMMA 4 *The set of potentials of a graph form a lattice.*

Proof: Let p^1 and p^2 be two potentials of a graph G . Define $p^3 = (p^1 \vee p^2)$ and $p^4 = (p^1 \wedge p^2)$. Now, consider p^3 and any $(i, j) \in E$. Without loss of generality suppose that $p^3(j) = p^1(j)$, then $p^3(j) - p^3(i) = p^1(j) - p^3(i) \leq p^1(j) - p^1(i) \leq l_{ij}$. This proves that p^3 is a potential of graph G . Similarly it can be shown that p^4 is a potential of graph G . ■

In case the graph is strongly connected, the lengths of the shortest paths from and to node 0 determine the components of the maximum and minimum 0-potential of the complete lattice set of 0-potentials, respectively.

LEMMA 5 ((Duffin, 1962)) *Suppose G is a strongly connected graph with no cycle of negative length. Then the set of 0-potentials of G form a complete lattice. The maximum 0-potential of G is given by $p^{max}(j) = s(0, j)$ for all $j \in N$ and the minimum 0-potential of G is given by $p^{min}(j) = -s(j, 0)$ for all $j \in N$.*

Proof: First we show that $p^{max}(\cdot)$ and $p^{min}(\cdot)$ are 0-potentials. Consider any edge $(i, j) \in E$, and the shortest path from 0 to j and from 0 to i . If the shortest path from 0 to i does not include node j , then $s(0, j) \leq s(0, i) + l_{ij}$ and therefore $s(0, j) - s(0, i) \leq l_{ij}$. If the shortest path from 0 to i includes node j , then $s(0, j) \leq s(0, j) + s(j, i) + l_{ij} = s(0, i) + l_{ij}$, where the inequality comes from the assumption that G has no negative cycle and the equality comes from the fact that the shortest path from 0 to i includes node j . Hence, $p^{max}(\cdot)$ is a 0-potential. A similar argument shows that $p^{min}(\cdot)$ is a 0-potential.

Let p be any 0-potential of G - such a 0-potential exists since G has no cycle of negative length. Consider the shortest path from 0 to j , and let it be $(0, i^1, \dots, i^k, j)$. We can write

the following set of inequalities for every edge in this path:

$$\begin{aligned} p(i^1) - p(0) &\leq l_{0i^1} \\ p(i^2) - p(i^1) &\leq l_{i^1i^2} \\ &\dots \leq \dots \\ p(j) - p(i^k) &\leq l_{i^kj}. \end{aligned}$$

Adding up all inequalities we get $p(j) - p(0) \leq s(0, j)$. Since $p(0) = 0$, we get $p(j) \leq s(0, j)$. A similar argument by using the shortest path from j to 0 shows that $p(j) \geq -s(j, 0)$. This shows that $p^{max}(\cdot)$ is the maximum 0-potential and p^{min} is the minimum 0-potential. By [Lemma 4](#), the set of 0-potentials form a complete lattice. \blacksquare

We denote the set of 0-potentials of a graph G as $\mathbb{P}^0(G)$. Notice that $\mathbb{P}^0(G)$ is a polytope, defined by the linear inequalities of the potentials and the equality that the potential of node 0 is equal to zero. Next, we characterize the extreme points of this polytope. For $j \in N$, define the potentials \underline{p}^j and \bar{p}^j as

$$\begin{aligned} \bar{p}^j(i) &= s(0, j) - s(i, j) & \forall i \in N \\ \underline{p}^j(i) &= s(j, i) - s(j, 0) & \forall i \in N. \end{aligned}$$

Notice that $\bar{p}^0 = p^{min}$ and $\underline{p}^0 = p^{max}$. Also, $\bar{p}^j(j) = p^{max}(j)$ and $\underline{p}^j(j) = p^{min}(j)$ for any $j \in N$.

LEMMA 6 *Suppose G is a strongly connected graph with no cycles of negative length. Then, for every $j \in N$, \underline{p}^j and \bar{p}^j are 0-potentials of graph G .*

Proof: Using a proof similar to [Lemma 5](#), one can show that for any $j \in N$, the vector p with $p(i) = -s(i, j)$ for all $i \in N$ is a j -potential of graph G . Hence, p is a potential of graph G . Clearly, by adding any $\alpha \in \mathbb{R}$ to $p(i)$ for all $i \in N$, we will get another potential of graph G . So, by adding $s(0, j)$ to $p(i)$ for all $i \in N$, we get potential \bar{p}^j of graph G . Since $\bar{p}^j(0) = 0$, \bar{p}^j is a 0-potential of graph G . A similar proof shows that \underline{p}^j is a 0-potential of graph G . \blacksquare

For $\emptyset \neq S \subseteq N_0$, define the potential \bar{p}^S as $\bar{p}^S(i) := \max_{j \in S} \bar{p}^j(i)$ for all $i \in N$ and the potential \underline{p}^S as $\underline{p}^S(i) := \min_{j \in S} \underline{p}^j(i)$ for all $i \in N$. By definition of $\bar{p}^j(\cdot)$ and $\underline{p}^j(\cdot)$, and using the fact that $\bar{p}^i(i) = p^{max}(i)$ and $\underline{p}^i(i) = p^{min}(i)$, we can rewrite $\bar{p}^S(\cdot)$ and $\underline{p}^S(\cdot)$ for every $\emptyset \neq S \subseteq N_0$ as

$$\bar{p}^S(i) = \begin{cases} s(0, i) = p^{max}(i) & \text{if } i \in S \\ \max_{j \in S} [s(0, j) - s(i, j)] & \text{otherwise} \end{cases}$$

and

$$\underline{p}^S(i) = \begin{cases} -s(i, 0) = p^{min}(i) & \text{if } i \in S \\ \min_{j \in S} [s(j, i) - s(j, 0)] & \text{otherwise.} \end{cases}$$

Next, we show that these potentials are precisely the extreme points of the lattice defined by all potential functions. Define $\mathbb{P}^e(G) := \{\bar{p}^S : \emptyset \neq S \subseteq N_0\} \cup \{\underline{p}^S : \emptyset \neq S \subseteq N_0\}$. The next theorem says that for every $S, \emptyset \neq S \subseteq N_0$, both vectors \bar{p}^S and \underline{p}^S are extreme points of the lattice set $\mathbb{P}^0(G)$ and, conversely, that every extreme point of the lattice set $\mathbb{P}^0(G)$ is equal to \bar{p}^S or \underline{p}^S for some $S, \emptyset \neq S \subseteq N_0$.

THEOREM 2 *Suppose G is a strongly connected graph with no cycles of negative length. Then $\mathbb{P}^e(G)$ is the set of extreme points of the polytope $\mathbb{P}^0(G)$.*

Proof: Consider any $\emptyset \neq S \subseteq N_0$. Due to the lattice structure of the set $\mathbb{P}^0(G)$ ([Lemma 4](#)), both vectors \underline{p}^S and \bar{p}^S are 0-potentials of graph G .

Now, consider the linear programming problem

$$\begin{aligned} \min \theta^- \sum_{i \in S} p(i) - \sum_{i \in N_0 \setminus S} p(i) \\ \text{s.t.} \\ p \in \mathbb{P}^0(G), \end{aligned} \tag{P1}$$

for some $\theta^- > 0$. By [Lemma 5](#), for every $p \in \mathbb{P}^0(G)$ it holds that $p(i) \geq p^{\min}(i) = -s(i, 0) \geq 0$ for all $i \in N$. Hence, for large enough θ^- , at any optimal solution of (P1) we have $p(i) = -s(i, 0)$ for all $i \in S$. For $i \in N_0 \setminus S$, take any $j \in S$. Let a shortest path from j to i in G be (j, j^1, \dots, j^k, i) . We can write for any $p \in \mathbb{P}^0(G)$,

$$p(i) - p(j) \leq l_{jj^1} + l_{j^1j^2} + \dots + l_{j^ki} = s(j, i)$$

and so, for large enough θ^- , at an optimal solution it holds that

$$p(i) \leq s(j, i) - s(j, 0).$$

Since this holds for all $j \in S$, we obtain that at the optimal solution it holds that for every $i \in N_0 \setminus S$ that

$$p(i) \leq \min_{j \in S} [s(j, i) - s(j, 0)], \tag{3}$$

when θ^- is large enough. Hence, the maximum value of $p(i)$ for all $i \in N_0 \setminus S$ is $\min_{j \in S} [s(j, i) - s(j, 0)]$. Thus, $\underline{p}^S \in \mathbb{P}^0(G)$ is the unique optimal solution to (P1) for large θ^- . Hence, \underline{p}^S is an extreme point of $\mathbb{P}^0(G)$.

Now, consider the linear programming problem

$$\begin{aligned} \max \sum_{i \in S} \theta^+ p(i) - \sum_{i \in N_0 \setminus S} p(i) \\ \text{s.t.} \\ p \in \mathbb{P}^0(G), \end{aligned} \tag{P2}$$

for some $\theta^+ > 0$. By [Lemma 5](#), for every $p \in \mathbb{P}^0(G)$ we have $p(i) \leq p^{max}(i) = s(0, i)$ for all $i \in N$. Hence, for sufficiently large θ^+ , at the optimal solution of [\(P2\)](#) it holds that $p(i) = s(0, i)$ for all $i \in S$. For $i \in N_0 \setminus S$, consider any $j \in S$. We can write for any $p \in \mathbb{P}^0(G)$,

$$p(j) - p(i) \leq s(i, j)$$

and so, for large enough θ^+ , at an optimal solution it holds that

$$p(i) \geq s(0, j) - s(i, j).$$

Therefore, for all $i \in N_0 \setminus S$,

$$p(i) \geq \max_{j \in S} [s(0, j) - s(i, j)]. \quad (4)$$

Hence, for large enough θ^+ , the minimum value of $p(i)$ for all $i \notin S$ is $\max_{j \in S} [s(0, j) - s(i, j)]$. Thus, $\bar{p}^S \in \mathbb{P}^0(G)$ is the unique optimal solution to [\(P2\)](#) for sufficiently large θ^+ . Hence, it is an extreme point of $\mathbb{P}^0(G)$.

It remains to be proved that the elements of $\mathbb{P}^e(G)$ are the only extreme points of $\mathbb{P}^0(G)$. Assume for contradiction that there exists an extreme point $p \notin \mathbb{P}^e(G)$. Let $X := \{j \in N_0 : p(j) = p^{max}(j) \text{ or } p(j) = p^{min}(j)\}$. We argue that $X \neq \emptyset$. Assume for contradiction $X = \emptyset$. Then, none of the constraints in $\mathbb{P}^0(G)$ involving $p(0)$ can be tight. This is because $p(j) - p(0) = l_{0j}$ implies $p(j) = p^{max}(j)$ and $p(0) - p(j) = l_{j0}$ implies $p(j) = p^{min}(j)$. Hence, there exists $p', p'' \in \mathbb{P}^0(G)$ such that $p'(j) = p(j) + \epsilon$ and $p''(j) = p(j) - \epsilon$ for all $j \neq 0$ for sufficiently small $\epsilon > 0$. Hence, $p(j) = \frac{p'(j) + p''(j)}{2}$ for all $j \in N$, contradicting the fact that p is an extreme point. So, $X \neq \emptyset$.

Define $S := \{j \in X : p(j) = p^{max}(j)\}$. Suppose S is non-empty. Then for all $i \in N_0 \setminus S$, we have $p(i) < p^{max}(i)$. By our argument earlier, $p(i) \geq \max_{j \in S} [s(0, j) - s(i, j)]$ for all $i \in N_0 \setminus S$. Let $T = \{i \in N_0 \setminus S : p(i) > \max_{j \in S} [s(0, j) - s(i, j)]\}$. Since $p \notin \mathbb{P}^e(G)$, T is non-empty. Also, by definition of T , $p(i) < p^{max}(i)$ for all $i \in T$. Hence, for any $i \in T$ and any $j \notin T$, the two constraints between i and j in $\mathbb{P}^0(G)$ are not tight. Hence, we can construct two 0-potentials p' and p'' as follows: $p'(i) = p''(i) = p(i)$ if $i \notin T$ and $p'(i) = p(i) + \epsilon$ and $p''(i) = p(i) - \epsilon$ for all $i \in T$ for sufficiently small $\epsilon > 0$. Clearly, $p(i) = \frac{p'(i) + p''(i)}{2}$ for all $i \in N$, contradicting the fact that p is an extreme point. A similar argument works if $X \setminus S$ is non-empty. Hence, every extreme point of $\mathbb{P}^0(G)$ is in $\mathbb{P}^e(G)$. ■

From the proof of [Theorem 2](#), the potentials that define the extreme points of the lattice can be interpreted as follows. For the potential \bar{p}^S , the potential of nodes in S is fixed at $p^{max}(\cdot)$, whereas the potential of nodes in $N \setminus S$ is at the minimum possible value given that the nodes in S has maximum potential. Similarly, for \underline{p}^S , the potential of nodes in S is fixed at $p^{min}(\cdot)$, whereas the potential of nodes in $N \setminus S$ is at the maximum possible value given that the nodes in S has minimum potential.

	Goods			
Buyers	0	1	2	3
1	0	3	4	5
2	0	7	3	6
3	0	7	6	4
4	0	4	2	1
5	0	3	4	2

Table 1: The values of the buyers

4.2 POTENTIALS AS WALRASIAN EQUILIBRIUM PRICES

We now interpret the Walrasian equilibrium prices as potentials in an appropriate directed graph. Corresponding to an efficient allocation μ we describe a graph G^μ . The graph G^μ , called the **allocation graph** corresponding to μ , has the set of goods N as its set of nodes, and is complete. Let μ^j be the buyer allocated to good $j \in N \setminus N^\mu$ in allocation μ . As before μ_i denotes the good allocated to buyer $i \in M$ in allocation μ . For $j, k \in N$, we define the length from node j to node k , l_{jk} , for three possible different cases.

1. The value of l_{jk} is set equal to zero if $k \in N^\mu$.
2. The value of l_{jk} is set equal to $v_{\mu^k k} - v_{\mu^k j}$ if $k \in N_0 \setminus N^\mu$.
3. The value of l_{j0} is set equal to $\min_{i:\mu_i=0} -v_{ij}$ if $M^\mu \neq \emptyset$.

We illustrate the construction of the allocation graph for an example. Suppose there are five buyers and three goods (excluding the dummy good), with values given in [Table 1](#). The unique efficient allocation in this example is: $\mu_1 = 3$, $\mu_2 = 1$, $\mu_3 = 2$, $\mu_4 = \mu_5 = 0$. The allocation graph corresponding to μ is shown in [Figure 2](#). In this example, $N^\mu = \emptyset$ and $M^\mu = \{4, 5\}$. For a price vector p to be a WE price vector, and thus (p, μ) to be a WE, we need the following inequalities, three each for every buyer, to hold. For example, the payoff of buyer 1 from good 3 should be maximum over all goods. This gives the first three inequalities. Similarly, writing the inequalities for the other buyers, gives us the following

set of inequalities:

$$\begin{aligned}
 5 - p(3) &\geq 4 - p(2) \Leftrightarrow p(3) - p(2) \leq 1 \\
 5 - p(3) &\geq 3 - p(1) \Leftrightarrow p(3) - p(1) \leq 2 \\
 5 - p(3) &\geq 0 - p(0) \Leftrightarrow p(3) - p(0) \leq 5 \\
 p(1) - p(2) &\leq 4 \\
 p(1) - p(3) &\leq 1 \\
 p(1) - p(0) &\leq 7 \\
 p(2) - p(1) &\leq -1 \\
 p(2) - p(3) &\leq 2 \\
 p(2) - p(0) &\leq 6 \\
 p(0) - p(1) &\leq \min\{-4, -3\} \\
 p(0) - p(2) &\leq \min\{-2, -4\} \\
 p(0) - p(3) &\leq \min\{-1, -2\}.
 \end{aligned}$$

The right hand side of these inequalities define the edge lengths in the allocation graph G^μ .




Figure 2: Allocation graph for the example in [Table 1](#)

THEOREM 3 *If p is a Walrasian equilibrium price vector, then p is a 0-potential of G^μ for any efficient allocation μ , and if p is a 0-potential of G^μ for some efficient allocation μ , then (p, μ) is a Walrasian equilibrium.*

Proof: Suppose p is a WE price vector. Consider any efficient allocation μ and the allocation graph G^μ corresponding to μ . So, (p, μ) is a WE. Consider any edge (j, k) of G^μ . Now, consider the next three possible cases.

1. If $k \in N^\mu$, then $p(k) = 0$. Hence $p(k) - p(j) = -p(j) \leq 0 = l_{jk}$.
2. If $k \in N_0 \setminus N^\mu$, then $v_{\mu^k k} - p(k) \geq v_{\mu^k j} - p(j)$ (since (p, μ) is a WE). This implies that $p(k) - p(j) \leq v_{\mu^k k} - v_{\mu^k j} = l_{jk}$.
3. If $k = 0$ and $M^\mu \neq \emptyset$, then consider any buyer i allocated to 0 in μ . Then, $v_{i0} - p(0) \geq v_{ij} - p(j)$. Hence, $p(0) - p(j) \leq -v_{ij}$. Since this is true for all i such that $\mu_i = 0$, we can write $p(0) - p(j) \leq \min_{i: \mu_i = 0} -v_{ij} = l_{j0}$.

This shows that p is a potential of G^μ . Since $p(0) = 0$ in a WE price vector, we get that p is a 0-potential of G^μ .

Now, suppose that p is a 0-potential of G^μ for some efficient allocation μ . By definition, $p(0) = 0$. For every $j \in N$, $p(0) - p(j) \leq l_{j0} \leq 0$. Using $p(0) = 0$, we get $p(j) \geq 0$. Hence, p is a price vector. Consider any $j \in N^\mu$. By definition of a 0-potential, we can write $p(j) - p(0) \leq l_{j0} = 0$. Using $p(0) = 0$, we get $p(j) \leq 0$. Hence, $p(j) = 0$ for all $j \in N^\mu$.

Now, consider any $i \in M$. If $i \in M^\mu$, then $\mu_i = 0$. By definition of potential, $p(\mu_i) - p(j) = p(0) - p(j) \leq l_{j0} \leq v_{i0} - v_{ij}$ for all $j \in N$. Hence, $v_{i0} - p(0) \geq v_{ij} - p(j)$ for all $j \in N$. So, $0 \in D_i(p)$. If $i \notin M^\mu$, then by definition of potential, $p(\mu_i) - p(j) \leq l_{j\mu_i} = v_{i\mu_i} - v_{ij}$ for all $j \in N$. This gives $\mu_i \in D_i(p)$. Therefore, p is a WE price vector. ■

We now give necessary and sufficient conditions for the existence of a unique Walrasian equilibrium price vector in terms of the shortest paths in the underlying graph.

PROPOSITION 1 *The following statements are equivalent.*

1. *There is a unique Walrasian equilibrium price vector.*
2. *There exists an efficient allocation μ , such that for the graph G^μ it holds that $s(0, j) + s(j, 0) = 0$ for all $j \in N_0$.*
3. $p^{\min} = p^{\max}$.

Proof: Existence of a unique Walrasian equilibrium price vector is equivalent to the minimum and the maximum Walrasian equilibrium price vectors being equal. Then, the proof of $1 \Leftrightarrow 2$ follows from [Theorem 3](#) and [Lemma 5](#). ■

We remark that the equality of p^{\min} and p^{\max} is equivalent to the existence of a price vector where the prices are *non-manipulable* by both the buyers and the seller, which is called **perfect competition** (see [Gretsky et al. \(1999\)](#)). In their work, [Gretsky et al. \(1999\)](#)

give several equivalent characterizations for perfect competition. [Proposition 1](#) provides an alternate characterization in terms of shortest paths in the graph G^μ for some efficient allocation μ .

We say that the set of Walrasian equilibrium price vectors is a **45-degree line** if, for all $j, k \in N_0$, $p(j) - p(k)$ is a constant for all WE price vectors p .

PROPOSITION 2 *The set of Walrasian equilibrium price vectors is a 45-degree line if and only if for all $j, k \in N_0$ it holds that $s(j, k) + s(k, j) = 0$ in the graph G^μ for some efficient allocation μ .*⁴

Proof: Fix an efficient allocation μ , and the corresponding graph G^μ . Suppose the set of WE price vectors is a 45-degree line. Consider \underline{p}^j and \bar{p}^j for any $j \in N_0$, which are WE price vectors by [Theorem 3](#) and [Lemma 6](#). Hence, we can write for any $k \in N_0 \setminus \{j\}$,

$$\bar{p}^j(k) - \bar{p}^j(j) = \underline{p}^j(k) - \underline{p}^j(j).$$

Therefore, $s(j, k) = -s(k, j)$, i.e., $s(j, k) + s(k, j) = 0$, for any $j, k \in N_0$.

Now, suppose $s(j, k) + s(k, j) = 0$ for all $j, k \in N_0$. Let (j, j^1, \dots, j^q, k) be a shortest path from j to k . For any WE price vector p , which is a 0-potential, by [Theorem 3](#) we can write

$$\begin{aligned} s(j, k) &= l_{jj^1} + \dots + l_{j^qk} \\ &\geq (p(j^1) - p(j)) + \dots + (p(k) - p(j^q)) \\ &= p(k) - p(j). \end{aligned}$$

Similarly, when the shortest path from k to j is (k, k^1, \dots, k^r, j) , we have

$$\begin{aligned} s(k, j) &= l_{kk^1} + \dots + l_{k^rj} \\ &\geq (p(k^1) - p(k)) + \dots + (p(j) - p(k^r)) \\ &= p(j) - p(k). \end{aligned}$$

From this it follows that

$$0 = s(j, k) + s(k, j) \geq (p(k) - p(j)) + (p(j) - p(k)) = 0.$$

This implies that $(p(k) - p(j)) + (p(j) - p(k)) = s(j, k) + s(k, j)$. But $p(k) - p(j) \leq s(j, k)$ and $p(j) - p(k) \leq s(k, j)$. Hence, $p(k) - p(j) = s(j, k)$ and $p(j) - p(k) = s(k, j)$. Thus, for any WE price vector p it holds that $p(j) - p(k)$ is a constant, for all $j, k \in N_0$. \blacksquare

⁴It is possible that $s(0, j) + s(j, 0) \neq 0$ for some $j \in N$.

5 INTERIOR WALRASIAN EQUILIBRIUM PRICES

The results on potentials of strongly connected graphs and potentials as Walrasian equilibrium prices help us in characterizing extreme and interior points of Walrasian equilibrium price space. In this section, we characterize the interior points of the Walrasian equilibrium price vector space. Notice that the interior may be empty in some instances. For instance, suppose there are two *identical goods*, i.e., values for these two goods are equal for every buyer. In any WE price vector, prices of these two goods must be equal. This reduces the dimension of the WE price vector space, making the interior empty.

We find necessary and sufficient conditions under which the interior is non-empty. By the definition of the interior, an interior Walrasian equilibrium price vector is *robust* to small changes in prices, i.e., even if the price vector is changed by small amounts, it still remains a Walrasian equilibrium price vector. We show that such robustness extends to valuations, i.e., an interior Walrasian price vector remains a Walrasian equilibrium price vector even if the valuations of buyers are changed by small amounts. This gives us a characterization of the interior Walrasian equilibrium price vectors.

DEFINITION 5 *A Walrasian equilibrium price vector p is an **interior Walrasian equilibrium price vector** if it is an interior point of the set of Walrasian equilibrium price vectors in \mathbb{R}^n .*⁵

THEOREM 4 *A price vector p is an interior Walrasian equilibrium price vector if and only if every non-dummy good has positive price and is demanded by a unique buyer and every buyer demands exactly one good, i.e., $N^+(p) = N_0$ and $\#U(p, \{j\}) = \#O(p, \{j\}) = 1$ for all $j \in N_0$.*

Proof: For the proof of the theorem, we use the following claim.

CLAIM 1 *Let (p, μ) be a Walrasian equilibrium. p is an interior Walrasian equilibrium price vector if and only if $D_i(p) = \{\mu_i\}$ for all $i \in M$ and $N^+(p) = N_0$.*

Proof: Since every WE price vector is a 0-potential ([Theorem 3](#)), the set of WE price vectors is a polytope in \mathbb{R}^n defined by $p(k) - p(j) \leq l_{jk}$ for all $j, k \in N$ with $p(0) = 0$. An interior point of this polytope is a point p^* satisfying $p^*(k) - p^*(j) < l_{jk}$ for all $j, k \in N$ with $p^*(0) = 0$.

Suppose p is an interior WE price vector. Clearly $N^+(p) = N_0$, since otherwise some goods will have zero prices only. Now, consider the allocation graph G^μ . Since p is an interior WE price vector, it is a 0-potential of G^μ (by [Theorem 3](#)), and for every $j, k \in N$, $j \neq k$, we have $p(k) - p(j) < l_{jk}$. Now consider any buyer $i \in M$. Let buyer i be assigned to good

⁵Note that we draw the set of Walrasian equilibrium price vectors in \mathbb{R}^n , and not in \mathbb{R}^{n+1} , since the price of the dummy good is always zero.

$j \in N$. By definition, $j \in N \setminus N^\mu$. Hence, $p(j) - p(k) < l_{kj} = v_{ij} - v_{ik}$ for all $k \in N \setminus \{j\}$. This gives, $v_{ij} - p(j) > v_{ik} - p(k)$ for all $k \in N \setminus \{j\}$. Hence, $D_i(p) = \{j\}$.

Now, suppose $D_i(p) = \{\mu_i\}$ for all $i \in M$ and $N^+(p) = N_0$. Since $N^+(p) = N_0$, we get that every good in N_0 is assigned to some buyer in μ . Consider any $j \in N_0$. Let j be assigned to i in μ . Since $D_i(p) = \{j\}$, we get $v_{ij} - p(j) > v_{ik} - p(k)$ for all $k \in N \setminus \{j\}$. So, $p(j) - p(k) < v_{ij} - v_{ik}$ for all $k \in N \setminus \{j\}$. If $j \neq 0$, then we get $v_{ij} - v_{ik} = l_{kj}$ and $p(j) - p(k) < l_{kj}$. If $j = 0$, then, consider i' such that $-v_{i'k} \leq v_{ik}$ for all i with $\mu_0 = i$. By assumption $D_{i'}(p) = \{0\}$. Hence, we can write $0 - p(j) > v_{i'k} - p(k)$ for all $k \in N$. This gives, $p(j) - p(k) < -v_{i'k} = \min_{i: \mu_i=0} -v_{ik} = l_{kj}$. This shows that $p(j) - p(k) < l_{kj}$ for all $j, k \in N, j \neq k$. Hence, p is an interior WE price vector. ■

Suppose p is an interior WE price vector. Let μ be an efficient allocation. Then (p, μ) is a WE. By [Claim 1](#), $N^+(p) = N_0$ and $D_i(p) = \{\mu_i\}$ for every $i \in M$. Since $N^+(p) = N_0$, every $j \in N_0$ is allocated in μ . Hence, $U(\{j\}, p) = O(\{j\}, p) = \{\mu^j\}$. Since $N^+(p) = N_0$, we can equivalently say that $\{j\}$ is weakly overdemanded and weakly underdemanded at p for all $j \in N_0$.

Suppose $\#U(\{j\}, p) = \#O(\{j\}, p) = 1$ for every $j \in N_0$ and $N^+(p) = N_0$. Therefore, every good in $N^+(p) = N_0$ is demanded by a unique buyer. Hence, these goods can be assigned to those corresponding unique buyers, and the remaining buyers can be assigned to the dummy good (notice that these buyers must be demanding the dummy good). Let this allocation be μ . So, (p, μ) is a Walrasian equilibrium and $D_i(p) = \{\mu_i\}$ for all $i \in M$. Using [Claim 1](#), p is an interior WE price vector. ■

REMARK: By [Claim 1](#), an interior WE price vector is characterized by single demand sets for all buyers. A consequence of this result is that even if valuations of buyers are perturbed by a small amount, an interior WE price vector remains a WE price vector after the perturbation. Hence, interior WE price vectors are robust against changes in valuations of buyers.

REMARK: By [Theorem 4](#), the set of interior WE price vectors is fully characterized by the property that *every* set of goods is weakly overdemanded but not overdemanded *and* weakly underdemanded but not underdemanded.

5.1 EXISTENCE OF INTERIOR WALRASIAN EQUILIBRIUM PRICES

We now identify conditions under which the interior of the Walrasian equilibrium price vector space is non-empty. We identify two equivalent conditions, one of which is a condition on the allocation graph.

THEOREM 5 *The following statements are equivalent.*

1. An interior Walrasian equilibrium price vector exists.
2. There is a unique efficient allocation and $n \leq m$.
3. For any efficient allocation μ it holds that every cycle in G^μ has positive length.

Proof: (2 \Leftrightarrow 3): Suppose μ is the only efficient allocation and $n \leq m$. Consider any cycle (j^1, \dots, j^k, j^1) . By [Theorem 3](#), and the fact that a WE price vector exists, this cycle has non-negative length. Since $n \leq m$ and there is a unique efficient allocation μ , every good in N_0 is allocated in μ , i.e., $N^\mu = \emptyset$. If $M^\mu = \emptyset$, then assume the existence of a dummy buyer μ^0 who values all goods at zero and who is assigned the dummy good. If $M^\mu \neq \emptyset$ and the dummy good 0 is in the cycle right after good j , then let $l_{j0} = -v_{\mu^0 j}$ for some $\mu^0 \in M^\mu$. Denote $\mu_{j^l} = v^l$ for all $1 \leq l \leq k$.

Now, the length of the cycle (j^1, \dots, j^k, j^1) can be written as

$$\begin{aligned} l_{j^1 j^2} + \dots + l_{j^{k-1} j^k} + l_{j^k j^1} &= v_{i^2 j^2} - v_{i^2 j^1} + v_{i^3 j^3} - v_{i^3 j^2} + \dots + v_{i^k j^k} - v_{i^k j^{k-1}} + v_{i^1 j^1} - v_{i^1 j^k} \\ &= \sum_{l=1}^k v_{i^l j^l} - \left[v_{i^1 j^k} + \sum_{l=2}^k v_{i^l j^{l-1}} \right]. \end{aligned}$$

Consider the allocation μ' where $\mu'_i = \mu_i$ if $i \notin \{i^1, \dots, i^k\}$, $\mu'_{i^1} = j^k$, and $\mu'_{i^l} = j^{l-1}$ for $2 \leq l \leq k$. Since μ is the unique efficient allocation and $\mu \neq \mu'$, the expression $\sum_{l=1}^k v_{i^l j^l} - \left[v_{i^1 j^k} + \sum_{l=2}^k v_{i^l j^{l-1}} \right] = \sum_{l=1}^k v_{i^l j^l} \mu_{i^l} - \sum_{l=1}^k v_{i^l \mu'_{i^l}} > 0$. Hence, the cycle (j^1, \dots, j^k, j^1) is of positive length.

Now, suppose every cycle is of positive length. When $n > m$, $N^\mu \neq \emptyset$. Consider any $k \in N^\mu$. Notice that either 0 is unassigned in μ or there exists $j \in N^\mu \setminus \{k\}$. Hence, either the cycle $(k, 0, k)$ or (k, j, k) is of zero length (by definition of edge lengths). This is a contradiction. So, $n \leq m$.

Suppose that $\mu' \neq \mu$ is another efficient allocation. Let N' be the set of goods such that $\mu^j \neq \mu'^j$ for all $j \in N'$. Clearly, $\#N' \geq 2$. Now, consider the following cycle: start from any good j^1 in N' , and set $j^2 = \mu'_{\mu^{j^1}}$. Repeat this procedure, i.e., set $j^k = \mu'_{\mu^{j^{k-1}}}$ for $k = 2, 3, \dots$. Since N' is finite, this procedure will be finite. Moreover, it will be a cycle of the form (j^1, \dots, j^k, j^1) . Since $n \leq m$, we can apply the earlier argument of proving positive length cycle in reverse direction to prove that the total value of buyers from μ and μ' are different due to the positive length of the cycle.

(1 \Leftrightarrow 2): Suppose an interior WE price vector p exists. Assume for contradiction that μ and $\mu' \neq \mu$ are two efficient allocations. Then, (p, μ) and (p, μ') are two Walrasian equilibria. Since p is an interior WE price vector, $N^+(p) = N_0$, and hence, every good in N_0 is assigned in μ and μ' . Since $\mu \neq \mu'$, for some good $j \in N_0$, $\mu_i = \mu'_{i'}$ where $i \neq i'$. This means $\{i, i'\} \subseteq U(\{j\}, p)$, which implies that $\#D_i(p) \geq 2$ and $\#D_{i'}(p) \geq 2$. This is a contradiction by [Theorem 4](#).

Also, by definition $N^+(p) = N_0$ for every interior price vector p . By definition of WE, no good from N_0 is unassigned. Hence, $n \leq m$.

Suppose there is a unique efficient allocation μ and $n \leq m$. Let (p, μ) be any WE. First, we prove the following claim.

CLAIM 2 *Every good in N_0 is assigned in μ .*

Proof: Suppose some good $j \in N_0$ is not assigned in μ . Hence, $p(j) = 0$. Since $n \leq m$, some buyer $i \in M$ is assigned the dummy good. But $v_{ij} - p(j) = v_{ij} \geq 0$. This means $j \in D_i(p)$. Therefore, assigning i to j gives another allocation that is efficient, which is a contradiction since μ is the unique efficient allocation. Hence, every good in N_0 is assigned in μ . ■

Consider the minimum WE price vector p^{min} . Let M^+ be the set of buyers assigned to goods from N_0 in μ .

CLAIM 3 *For every buyer $i \in M^+$, $v_{i\mu_i} - p^{min}(\mu_i) > 0$.*

Proof: Assume for contradiction that for some buyer $i \in M^+$, $v_{i\mu_i} - p^{min}(\mu_i) = 0$. Since every set of goods $S \subseteq N_0$ is not overdemanding and every $S \subseteq N^+(p^{min})$ is not weakly underdemanded at p^{min} (Theorem 1), by removing buyer i from the economy, it is still not overdemanding and not underdemanded at p^{min} . This means, we can find a WE allocation μ' without buyer i . By assigning buyer i to the dummy good, which is in his demand set at p^{min} , we get an efficient allocation different from μ . This is a contradiction. ■

Now, construct a price vector \bar{p} by increasing the prices of goods in N_0 by sufficiently small amount from p^{min} . Every good in N_0 is assigned by Claim 2 to buyers in M^+ . By increasing prices by sufficiently small amount from p^{min} , and using Claim 3, every buyer in M^+ continues to demand μ_i at \bar{p} , and buyers in $M \setminus M^+$ demand only the dummy good. Hence, \bar{p} is a WE price vector, and $N^+(\bar{p}) = N_0$. Further, for sufficiently small price increase from p^{min} , we can have for every buyer $i \in M^+$, $v_{i\mu_i} - \bar{p}(\mu_i) > 0$ by Claim 3. Now, consider the following claim.

CLAIM 4 *Consider a WE (p, μ) such that $O(N_0, p) = M^+$ and $N^+(p) = N_0$. Consider a set of goods $S \subseteq N_0$ with $\#S \geq 2$. Define $T = \{i \in M : \mu_i \in S\}$. Then, there exists some buyer $i \in T$ such that $D_i(p) = \{\mu_i\}$.*

Proof: Suppose $\#D_i(p) \geq 2$ for all $i \in T$. Consider any good $j^0 \in S$. We construct a sequence of pairs of buyers and goods. Initially set $K = \{j^0\}$ and $L = \{i^0\}$, where $\mu_{i^0} = j^0$. Consider some $j^1 \in D_{i^0}(p) \setminus \{j^0\}$ (such a j^1 exists since $\#D_{i^0}(p) \geq 2$). Set $K := K \cup \{j^1\}$ and $L := L \cup \{i^1\}$, where $\mu_{i^1} = j^1$. If some $j^2 \in D_{i^1}(p) \setminus \{j^1\}$ also belongs to K , then stop. Else, update $K := K \cup \{j^2\}$ for some $j^2 \in D_{i^1}(p) \setminus \{j^1\}$ and $L := L \cup \{i^2\}$, where $\mu_{i^2} = j^2$.

We repeat this process. At any stage of the process, we have $K = \{j^0, j^1, \dots, j^{k-1}\}$ and $L = \{i^0, i^1, \dots, i^{k-1}\}$. If some $j^k \in D_{i^{k-1}}(p) \setminus \{j^{k-1}\}$ belongs to K , where $j^{k-1} = \mu_{i^{k-1}}$, then we stop. Otherwise, we set $K := K \cup \{j^k\}$ for some $j^k \in D_{i^{k-1}}(p) \setminus \{j^{k-1}\}$ and $L := L \cup \{i^k\}$, where $\mu_{i^k} = j^k$. The process is finite, since when we reach $L = T$, we have $K = S$.

Now, at the end of the process, let the final buyer to be inserted to L be i^k . Let i^k demand $j^{k'} \neq \mu_{i^k}$ from K at p . By the definition of the sequence above, there exists an assignment μ' where $\mu'_{i^k} = j^{k'}$ and $\mu'_{i^l} = j^{l+1}$ with $\mu'_{i^l} \in D_{i^l}(p)$ for all $k' \leq l < k$, and $\mu'_i = \mu_i$ otherwise. Clearly, (p, μ') is a WE. Hence, μ' is an efficient allocation, contradicting the fact the μ is unique. ■

The proof is done by repeatedly applying [Claim 4](#). First, set $p = \bar{p}$, $S = N^+(p) = N_0$, and $T = M^+$ in [Claim 4](#). Then, we get a buyer $i \in M^+$ such that $D_i(p) = \{\mu_i\}$. Since $v_{i\mu_i} - p(\mu_i) > 0$, we can increase the price of μ_i by sufficiently small amount to get a new WE price vector p' such that $D_i(p') = \{\mu_i\}$ and $U(\{\mu_i\}, p') = \{i\}$. Now, set $p = p'$, $S = N^+(p') \setminus \{\mu_i\}$, and $T = M^+ \setminus \{i\}$, and apply [Claim 4](#) again. After repeating this procedure for all the buyers, we get a WE price vector \hat{p} where for every buyer $i \in M$, $D_i(\hat{p}) = \{\mu_i\}$. By [Theorem 4](#), \hat{p} is an interior WE price vector. ■

REMARK: Given the demand set information of buyers at a WE price vector p , we can verify if an allocation μ is such that (p, μ) is a WE. Every such allocation is an efficient allocation. If there is a unique μ such that (p, μ) is a WE and $n \leq m$, then we can conclude that the interior of WE price vector space is non-empty. Thus, given demand set information of buyers at any WE price vector, it is possible to verify whether the interior of WE price vector space is non-empty.

6 EXTREME WALRASIAN EQUILIBRIUM PRICES

We now characterize the extreme points of Walrasian equilibrium price space. The central result that we use from [Section 4](#) is [Theorem 2](#), which shows that every extreme point of the lattice corresponding to potentials of a strongly connected graph is one of the following forms:

1. The prices of some set of goods is equal to the minimum WE prices and the prices of the other goods are as high as possible.
2. The prices of some set of goods is equal to the maximum WE prices and the prices of the other goods are as low as possible.

Our characterization of extreme Walrasian equilibrium price vectors is a careful interpretation of this result in terms of potentials of the allocation graph.

At price vector p and set $S, \emptyset \neq S \subseteq N_0$, define

$$K(p, S) = \{j \in S : T \text{ is not weakly overdemanded at } p \text{ for any } T \text{ satisfying } j \in T \subseteq S\}.$$

The set $K(p, S)$ is the subset of goods in S that are not contained in some weakly overdemanded subset of S at p . Every good in the set $S \setminus K(p, S)$ is contained in some weakly overdemanded subset of goods of S at p .

Similarly, at price vector p and set $S, \emptyset \neq S \subseteq N_0$, define

$$L(p, S) = \{j \in S : p(j) = 0\} \cup \{j \in S : T \text{ is not weakly underdemanded at } p \text{ for any } T \text{ satisfying } j \in T \subseteq S^+(p)\}.$$

Every good in $L(p, S)$ either has price zero or has the property that any subset of $S^+(p)$ that contains j is not weakly underdemanded. Every good in the set $S \setminus L(p, S)$ is contained in some weakly underdemanded subset of goods of S at p .

Of particular interest to us are the sets $K(p, N_0)$ and $L(p, N_0)$ for any p . The set $K(p, N_0)$ contains all goods that are not part of any weakly overdemanded set at p , while $L(p, N_0)$ contains all goods with zero price and all goods with positive price that are not part of any weakly underdemanded set at p . The following two lemmas characterize the sets $L(p, N_0)$ and $K(p, N_0)$ when p is a WE price equilibrium vector.

LEMMA 7 *At a Walrasian equilibrium price vector p it holds that $L(p, N_0) = \{j \in N_0 : p(j) = p^{\min}(j)\}$.*

Proof: If $p(j) = 0$, then by definition $j \in L(p, N_0)$. Suppose $p(j) = p^{\min}(j)$ for some $j \in N^+(p)$. Then $p^{\min}(j) > 0$ and for any $T \subseteq N^+(p)$ containing j all goods in T are assigned in a WE at p . Let T' be the set of buyers assigned to those goods in T in a WE at p . Since p is a WE price vector, by [Theorem 1](#) T is not underdemanded, i.e., $\#U(p, T) \geq \#T = \#T'$. Assume for contradiction that T is weakly underdemanded at p , i.e., $\#U(p, T) = \#T = \#T'$. Then, prices of goods in T can be lowered from p by a sufficiently small amount to get another WE price vector, contradicting the fact that $p(j) = p^{\min}(j)$. Hence, T is not weakly underdemanded at p , and therefore $j \in L(p, N_0)$.

Suppose $j \in L(p, N_0)$. If $p(j) = 0$, then $p(j) = p^{\min}(j)$. Assume for contradiction $p(j) > 0$ and $p(j) > p^{\min}(j)$. Let $X = \{k \in N_0 : p(k) > p^{\min}(k)\}$. Notice that $j \in X$ and $X \subseteq N^+(p)$. By definition, X is not weakly underdemanded at p . Comparing p and p^{\min} , all prices of goods in the set X decrease, from p to p^{\min} , whereas prices of other goods remain the same. Hence, buyers in $U(p, X)$ will become exclusive demanders of X at p^{\min} . Since $\#U(X, p) > \#X$, we get $\#O(X, p^{\min}) \geq \#U(X, p) > \#X$. Hence X is overdemanded at p^{\min} , a contradiction by [Theorem 1](#). So, for every $j \in L(p, N_0)$, $p(j) = p^{\min}(j)$. \blacksquare

LEMMA 8 *At a Walrasian equilibrium price vector p it holds that $K(p, N_0) = \{j \in N_0 : p(j) = p^{\max}(j)\}$.*

Proof: The proof is similar to the proof of [Lemma 7](#). ■

So, the set $K(p, N_0)$ denotes the set of goods whose prices are at the maximum WE price and the set $L(p, N_0)$ denotes the set of goods whose price are at the minimum WE price. We denote the set $N_0 \setminus K(p, N_0)$ as $S^o(p)$. The set $S^o(p)$ contains all goods that are part of some weakly overdemanded set of goods at p . Similarly, we denote the set $N_0 \setminus L(p, N_0)$ as $S^u(p)$. The set $S^u(p)$ contains all goods that are part of some weakly underdemanded set of goods at p .

THEOREM 6 *Suppose p is a price vector at which there is no set of goods that is overdemanded and no set of goods that is underdemanded. Then p is an extreme Walrasian equilibrium price vector if and only if $L(p, N_0) \cup K(p, N_0) \neq \emptyset$ and $L(p, S^o(p)) = S^o(p)$ if $K(p, N_0) \neq \emptyset$ and $K(p, S^u(p)) = S^u(p)$ if $L(p, N_0) \neq \emptyset$.*

Proof: Since there is no set of goods that is overdemanded and no set of goods that is underdemanded, p is a WE price vector by [Theorem 1](#). We begin the proof with two claims.

CLAIM 5 *For any WE price vector p satisfying $K(p, N_0) \neq \emptyset$, $L(p, S^o(p)) = S^o(p)$ if and only if, for all $j \in S^o(p)$, $p(j) = \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)]$, where shortest paths $s(\cdot, \cdot)$ are computed in an allocation graph corresponding to any efficient allocation.*

Proof: Suppose $L(p, S^o(p)) = S^o(p)$ and $K(p, N_0) \neq \emptyset$. By [Lemma 8](#), $p(j) = p^{\max}(j)$ for all $j \in K(p, N_0)$. By [Theorem 2](#), $p(j) \geq \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)] \geq 0$ for all $j \in N_0 \setminus K(p, N_0)$. Let

$$X = \{j \in N_0 \setminus K(p, N_0) : p(j) > \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)]\}.$$

Assume for contradiction that X is non-empty. Clearly $X \subseteq N^+(p)$. Since $L(p, N_0 \setminus K(p, N_0)) = N_0 \setminus K(p, N_0)$, X is not weakly underdemanded at p . Hence, $\#U(p, X) > \#X$. Consider the price vector p' where prices of all goods except goods in X remain the same as in p , but for all $j \in X$, $p'(j) = \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)] < p(j)$. Hence, buyers in $U(p, X)$ become exclusive demanders of X at p' . So, $\#O(p', X) \geq \#U(p, X) > \#X$. Hence, X is overdemanded at p' . Since p' is a WE price vector by [Theorem 2](#), we get a contradiction by [Theorem 1](#).

Suppose for all $j \in S^o(p)$, we have $p(j) = \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)]$. Assume for contradiction that there exists $j \in N_0 \setminus K(p, N_0)$ such that $j \notin L(p, N_0 \setminus K(p, N_0))$. Clearly, $p(j) > 0$. This means that for some $T \subseteq N^+(p) \setminus K(p, N_0)$ containing j the set T is weakly underdemanded. Consider a price vector p' where prices of goods in T are lowered by

sufficiently small amount, whereas prices of other goods remain the same. Since T is weakly underdemanded, p' is a WE price vector. By (4), $p'(j) \geq \max_{k \in K(p, N_0)} [s(0, k) - s(j, k)]$ for all $j \in N_0 \setminus K(p, N_0)$. This gives us a contradiction. ■

CLAIM 6 *For any WE price vector p satisfying $L(p, N_0) \neq \emptyset$, $K(p, S^u(p)) = S^u(p)$ if and only if, for all $j \in S^u(p)$, $p(j) = \min_{k \in L(p, N_0)} [s(k, j) - s(k, 0)]$, where shortest paths $s(\cdot, \cdot)$ are computed in an allocation graph corresponding to any efficient allocation.*

Proof: The proof is similar to the proof of Claim 5. ■

Suppose p is an extreme WE price vector. Then, by Theorem 2 and Lemmas 7 and 8, $L(p, N_0) \cup K(p, N_0) \neq \emptyset$. If $K(p, N_0) \neq \emptyset$, then by Theorem 2 and Claim 6, we have that $L(p, S^o(p)) = S^o(p)$. Similarly, if $L(p, N_0) \neq \emptyset$, then by Theorem 2 and Claim 6, we have that $K(p, S^u(p)) = S^u(p)$. The converse statement also follows from Theorem 2 and Claims 5 and 6. ■

The characterization above says that at an extreme Walrasian equilibrium price vector no subset of the goods that are part of some weakly overdemanded set of goods can be weakly underdemanded and that simultaneously no subset of the goods that are part of some weakly underdemanded set of goods can be weakly overdemanded. As a consequence of this characterization, we get the following characterization of the minimum and the maximum Walrasian equilibrium price vectors.

THEOREM 7 *A price vector p is equal to p^{min} if and only if no set of goods is overdemanded and no set of goods is weakly underdemanded at p . Similarly, a price vector p is equal to p^{max} if and only if no set of goods is underdemanded and no set of goods is weakly overdemanded at p .*

Proof: Suppose $p = p^{min}$. By Theorem 1, no set of goods is overdemanded and no set of goods is underdemanded at p . By Lemma 7, $L(p, N_0) = N_0$. By definition of $L(\cdot, \cdot)$, no set of goods is weakly underdemanded at p .

Suppose no set of goods is overdemanded and no set of goods is weakly underdemanded at p . Then, $L(p, N_0) = N_0$, and again by Lemma 7 $p = p^{min}$.

A similar proof using Lemma 5 proves that $p = p^{max}$ if and only if no set of goods is overdemanded and no set of goods is weakly underdemanded at p . ■

REMARK: Theorem 7 can be used to give a necessary and sufficient condition for the existence of a unique WE price vector. The condition is that there exists some price vector at which no set of goods is weakly overdemanded and no set of goods is weakly underdemanded at that price vector.

The characterization of the minimum WE price vector gives an idea about the existence of overdemanded and weakly underdemanded sets of goods in other regions of the price vector space.

COROLLARY 1 *If $p \not\leq p^{min}$, then there exists an overdemanded set of goods. Further, if $p \not\leq p^{min}$, then there exists a weakly underdemanded set of goods.*

Proof: Suppose $p \not\leq p^{min}$. Let $S = \{j \in N : p_j < p_j^{min}\}$. Since $p \not\leq p^{min}$, $S \neq \emptyset$. Further, because $p_j^{min} > p_j \geq 0$ for all $j \in S$, $S \subseteq N^+(p^{min})$. Since prices of goods in S decrease from p^{min} to p while prices of goods in $N \setminus S$ do not decrease, $U(S, p^{min}) \subseteq O(S, p)$. So, $\#O(S, p) \geq \#U(S, p^{min}) > \#S$, where the last inequality follows from [Theorem 7](#) (S is not weakly underdemanded at p^{min}). Hence S is overdemanded at p .

Now, suppose $p \not\leq p^{min}$. Define $S' = \{j \in N : p_j > p_j^{min}\}$. Because $p \not\leq p^{min}$, $S' \neq \emptyset$. Further, since $p_j > p_j^{min} \geq 0$ for all $j \in S'$, $S' \subseteq N^+(p)$. Since prices of goods in S' decrease from p to p^{min} while prices of goods in $N \setminus S'$ do not decrease, $U(S', p) \subseteq O(S', p^{min})$. So, $\#U(S', p) \leq \#O(S', p^{min}) \leq \#S'$, where the last inequality follows from [Theorem 7](#) (S' is not overdemanded at p^{min}). Hence S' is weakly underdemanded at p . ■

In every region of the price vector space with respect to p^{min} , [Corollary 1](#) shows if an overdemanded set of goods or a weakly underdemanded set of goods always exists in that region. A similar result holds with respect to p^{max} .

COROLLARY 2 *If $p \not\leq p^{max}$, then there exists a weakly overdemanded set of goods. Further, if $p \not\leq p^{max}$, then there exists an underdemanded set of goods.*

Proof: The proof is analogous to [Corollary 1](#). ■

The results in [Theorem 7](#) and [Corollary 1](#) and [Corollary 2](#) are illustrated in [Figure 3](#) for the example in [Figure 1](#). The labelling in various regions of the figure indicates whether (weakly) overdemanded sets of goods ((W)OD) and (weakly) underdemanded sets of goods ((W)UD) exist at all price vectors in these regions. By [Theorem 1](#), there is no set of overdemanded or underdemanded goods in the lattice corresponding to the WE price vector region in [Figure 3](#). The minimum and the maximum WE price vectors are characterized by [Theorem 7](#). The interior of WE price vector space is characterized by [Theorem 4](#). In any price vector inside the rectangle generated by drawing parallel lines to axes at the minimum and the maximum WE price vectors, we can find a weakly overdemanded and a weakly underdemanded set of goods. The other regions in [Figure 3](#) are labelled using [Corollary 1](#) and [Corollary 2](#). For example, for every price vector in the upper-right corner, an underdemanded set of goods exists, whereas for every price vector in the lower-left corner, an overdemanded set of goods exists. Notice that once every set of goods is weakly underdemanded, then no set of goods can be overdemanded. This happens, for example when all prices are set equal or




Figure 3: Various regions of the price vector space for the example in Figure 1

above the highest valuation of the goods. Also, there exist regions (upper-left and lower-right corners in Figure 3) where sets of underdemanded and overdemanded goods co-exist.

We can say something more about various price vectors than what the results in Corollary 1 and Corollary 2 seem to indicate. If we decrease the prices of positive price goods at the minimum WE price vector by an equal amount such that no price goes below zero, then at the new price vector no weakly underdemanded goods exist. But, by Corollary 1, some set of goods is overdemanded. So, if $p^{min} \neq 0$, then there is some non-zero price vector $p \preceq p^{min}$ where no set of goods is weakly underdemanded but some set of goods is overdemanded. This argument illustrates that we can draw a piecewise linear path from the minimum WE price vector to the zero price vector along which no set of goods is weakly underdemanded but some set of goods is overdemanded.

Similarly, if we increase the prices of positive price goods by an equal amount from the maximum WE price vector, no set of goods is weakly overdemanded at the new price vector, but some set of goods is underdemanded. So, the 45 degree straight line from the maximum WE price vector in the north-east direction is a set of (infinite) price vectors where no set

of goods is weakly overdemanded but some set of goods is underdemanded.

6.1 DESIGN OF ITERATIVE AUCTIONS

Iterative auctions, where prices monotonically increase (ascending auctions) or decrease (descending auctions) are practical and transparent methods to sell goods. The design of iterative auctions for our model has been studied earlier - ascending auctions can be found in Demange et al. (1986) and Sankaran (1994), whereas descending auctions can be found in Sotomayor (2002). These auctions terminate at a WE price vector - the auctions in Demange et al. (1986) and Sankaran (1994) terminate at the minimum WE price vector, while the auction in Sotomayor (2002) terminates at the maximum WE price vector.⁶ Moreover, the underlying price adjustment in these auctions is based on the ideas of overdemanded and underdemanded sets of goods. Interestingly, the papers on ascending auctions do not talk about underdemanded sets of goods and use the notion of (weakly) overdemanded sets of goods only. Similarly, the papers on descending auctions do not talk about overdemanded sets of goods and use the notion of (weakly) underdemanded sets of goods only. The terminating conditions in these auctions are absence of overdemanded sets of goods for ascending auctions and absence of underdemanded sets of goods for descending auctions. Still, these auctions terminate at an extreme WE price vector. Our results can be used to explain why this is possible. In the rest of this section, we assume valuations of buyers and prices to be integers.

Consider the following class of ascending auctions:

- S0 Start the auction at a price vector p where no set of goods is weakly underdemanded (by Corollary 1, $p \leq p^{min}$);
- S1 Collect demand sets of buyers and check if an overdemanded set of goods exist;
- S2 If no overdemanded set of goods exist, then stop (by Theorem 7, this is the minimum WE price vector);
- S3 Else increase prices of goods such that no set of goods is weakly underdemanded at the new price vector, and repeat from step S1.

The auctions in Demange et al. (1986) and Sankaran (1994) are such auctions, though they do not mention this explicitly. Both these auctions start from the zero price vector.⁷ At

⁶Since minimum WE price vector corresponds to the VCG payments, the auctions in Demange et al. (1986) and Sankaran (1994) have *truthful bidding* in an equilibrium, whereas buyers can *manipulate* the auction in Sotomayor (2002).

⁷To be precise, they use the reserve price of every good as the starting price, which is assumed to be zero in our model.

the zero price vector, no set of goods is weakly underdemanded. In step S3, [Demange et al. \(1986\)](#) increase prices by unity for goods in a minimal overdemanded set, whereas [Sankaran \(1994\)](#) increases prices by unity for goods in an overdemanded set, which he finds using a labeling algorithm of graph theory. Both the price adjustments ensure that no set of goods is weakly underdemanded after the price increase (i.e., satisfy the condition in step S3), and we stay below the minimum WE price vector (by [Corollary 1](#)).

The descending auctions share an analogous feature. Consider the following class of descending auctions:

- T0 Start the auction at a price vector p where no set of goods is weakly overdemanded (by [Corollary 2](#), $p \geq p^{max}$);
- T1 Collect demand sets of buyers and check if an underdemanded set of goods exist;
- T2 If no underdemanded set of goods exist, then stop (by [Theorem 7](#), this is the maximum WE price vector);
- T3 Else decrease prices of goods such that no set of goods is weakly overdemanded at the new price vector, and repeat from step T1.

The auction in [Sotomayor \(2002\)](#) starts from a very high price vector where every buyer demands only the dummy good. Hence no set of goods is weakly overdemanded. By decreasing prices by unity for goods in a minimal underdemanded set, no set of goods is weakly overdemanded after the price decrease, and the price in the auction stays above the maximum WE price vector.

This class of descending auctions can be modified to terminate at the minimum WE price vector. Such auctions have to start from a price vector where no set of goods is overdemanded (by [Corollary 2](#) such a price vector is above the minimum WE price vector). These auctions should stop if no set of goods is weakly underdemanded, and price decrease should be such that no set of goods is overdemanded at the new price vector.

Thus, our characterization results unify the existing iterative auctions by bringing them under a broad class of auctions. We hope that this will be useful in identifying more iterative auctions from this class which are easier to implement in practice than the auctions known in the literature.

Finally, a note on the incentive properties of these auctions. It is well known that submitting true demand sets in each iteration of ascending and descending auctions that terminate at the minimum WE price vector is an ex post Nash equilibrium ([Bikhchandani and Ostroy, 2006](#)). This can be reconciled from the fact that the minimum WE price vector corresponds to the VCG payments of buyers in our setting ([Leonard, 1983](#)). Hence, all auctions discussed in this section that terminate at the minimum WE price vector share this incentive property.

7 CONCLUSIONS

We characterized the extreme and interior points of the set Walrasian equilibrium price vectors for the assignment model. As a corollary, we also characterized the minimum and the maximum Walrasian equilibrium price vectors. Our characterizations indirectly characterize all Walrasian equilibrium price vectors that lie on any *face* of the Walrasian equilibrium price vector space. All characterizations involve conditions on the demand sets of buyers only. A future research direction is to extend these characterizations to a model where a buyer can be assigned more than one good with combinatorial values.

Another interesting direction of future research is to understand the structures of (weakly) overdemanded and (weakly) underdemanded sets, and design computationally efficient procedures to compute these sets. We conclude the section with a result which may help in this regard. For this, define a **minimal (weakly) overdemanded** set of goods at a price vector as a set of goods that is (weakly) overdemanded at that price vector but every subset of this set of goods is not (weakly) overdemanded at this price vector. Similarly, we define a minimal (weakly) underdemanded set of goods. We now conclude with the following result.

THEOREM 8 *Let G^o be a minimal overdemanded set of goods and G^u a minimal underdemanded set of goods at a price vector p . For any minimal weakly overdemanded set of goods H^o and any minimal weakly underdemanded set of goods H^u at p , the following holds:*

1. $G^o \cap H^u = \emptyset$.
2. $G^u \cap H^o = \emptyset$.

Proof: We first show that $G^o \cap H^u = \emptyset$. Assume for contradiction $G^o \cap H^u \neq \emptyset$. Since H^u is weakly underdemanded at p , $\#O(H^u, p) \leq \#U(H^u, p) \leq \#H^u$. This shows that H^u is not overdemanded at p . So, $H^u \neq G^o$. There are three cases to consider.

Case 1: $G^o \subsetneq H^u$. Since H^u is minimal weakly underdemanded at p and $H^u \setminus G^o$ is non-empty, $H^u \setminus G^o$ is not weakly underdemanded. So, we can write

$$\#U(H^u \setminus G^o, p) > \#(H^u \setminus G^o). \tag{5}$$

Since H^u is weakly underdemanded we get

$$\#U(H^u, p) \leq \#H^u. \tag{6}$$

Since G^o is overdemanded we get

$$\#O(G^o, p) > \#G^o. \tag{7}$$

Now, since $G^o \subsetneq H^u$ and using equations (6) and (7)

$$\begin{aligned}\#(H^u \setminus G^o) &= \#H^u - \#G^o \\ &> \#U(H^u, p) - \#O(G^o, p) \\ &\geq \#U(H^u \setminus G^o, p).\end{aligned}$$

The last inequality comes from the fact that $O(G^o, p) \cup U(H^u \setminus G^o, p) \subseteq U(H^u, p)$. Using equation (5), we get a contradiction.

Case 2: $H^u \subsetneq G^o$. Since G^o is minimal overdemanded and $G^o \setminus H^u$ is not empty, $G^o \setminus H^u$ is not overdemanded. This gives us

$$\#O(G^o \setminus H^u, p) \leq \#(G^o \setminus H^u). \quad (8)$$

Now, since $H^u \subsetneq G^o$ and using equations (6) and (7)

$$\begin{aligned}\#(G^o \setminus H^u) &= \#G^o - \#H^u \\ &< \#O(G^o, p) - \#U(H^u, p) \\ &\leq \#O(G^o \setminus H^u, p).\end{aligned}$$

The last inequality comes from the fact that $O(G^o, p) \subseteq O(G^o \setminus H^u, p) \cup U(H^u, p)$. Using equation (8), we get a contradiction.

Case 3: $H^u \cap G^o = T$, $T \neq H^u$, $T \neq G^o$, and T is non-empty. Since H^u is minimal weakly underdemanded, $H^u \setminus T$ is not weakly underdemanded. This gives us

$$\#U(H^u \setminus T, p) > \#(H^u \setminus T). \quad (9)$$

Similarly, $G^o \setminus T$ is not overdemanded, which gives us

$$\#O(G^o \setminus T, p) \leq \#(G^o \setminus T). \quad (10)$$

Denote $Y = O(G^o, p) \setminus O(G^o \setminus T, p)$. From the definition of Y , every buyer in Y demands goods from G^o only but at least some good from T . Hence, $Y \cap U(H^u \setminus T, p) = \emptyset$. This results in the following set of inequalities by the definition of Y and using equations (7), (9) and (10)

$$\begin{aligned}\#U(H^u, p) &\geq \#U(H^u \setminus T, p) + \#Y \\ &> \#(H^u \setminus T) + \#O(G^o, p) - \#O(G^o \setminus T, p) \\ &> \#H^u - \#T + \#G^o - \#(G^o \setminus T) \\ &= \#H^u.\end{aligned}$$

The last inequality follow from the fact that $T \subsetneq G^o$ and $T \subsetneq H^u$. It implies that H^u is not weakly underdemanded. This is a contradiction.

Using an analogous proof, it can be shown that $G^u \cap H^o = \emptyset$. ■

REFERENCES

- ARROW, K. J. AND G. DEBREU (1954): “Existence of an Equilibrium in a Competitive Economy,” *Econometrica*, 22, 265–290.
- BALINSKI, M. L. AND D. GALE (1990): “On the Core of the Assignment Game,” in *Functional Analysis, Optimization and Mathematical Economics*, ed. by L. J. Leifman, Oxford University Press, 274–289.
- BIKHCHANDANI, S. AND J. OSTROY (2006): “From the Assignment Model to Combinatorial Auctions,” in *Combinatorial Auctions*, ed. by P. Cramton, Y. Shoham, and R. Steinberg, MIT Press.
- CLARKE, E. (1971): “Multipart Pricing of Public Goods,” *Public Choice*, 11, 17–33.
- CRAWFORD, V. P. AND E. M. KNOER (1981): “Job Matching with Heterogeneous Firms and Workers,” *Econometrica*, 49, 437–450.
- DE VRIES, S., J. SCHUMMER, AND R. V. VOHRA (2007): “On Ascending Vickrey Auctions for Heterogeneous Objects,” *Journal of Economic Theory*, 132, 95–118.
- DEMANGE, G. AND D. GALE (1985): “The Strategy Structure of Two-Sided Matching Markets,” *Econometrica*, 53, 873–888.
- DEMANGE, G., D. GALE, AND M. SOTOMAYOR (1986): “Multi-item Auctions,” *Journal of Political Economy*, 94, 863–872.
- DUFFIN, R. J. (1962): “The Extremal Length of a Network,” *Journal of Mathematical Analysis and Applications*, 5, 200–215.
- GALLAI, T. (1958): “Maximum-Minimum Sätze Über Graphen,” *Acta Mathematica Academiae Scientiarum Hungaricae*, 9, 395–434.
- GRETSKY, N. E., J. M. OSTROY, AND W. R. ZAME (1999): “Perfect Competition in the Continuous Assignment Model,” *Journal of Economic Theory*, 88, 60–118.
- GROVES, T. (1973): “Incentives in Teams,” *Econometrica*, 41, 617–631.
- GUL, F. AND E. STACCHETTI (1999): “Walrasian Equilibrium with Gross Substitutes,” *Journal of Economic Theory*, 87, 95–124.
- (2000): “The English Auction with Differentiated Commodities,” *Journal of Economic Theory*, 92, 66–95.

- HALL, P. (1935): “On Representatives of Subsets,” *Journal of London Mathematical Society*, 10, 26–30.
- KELSO, A. S. AND V. P. CRAWFORD (1982): “Job Matching, Coalition Formation and Gross Substitutes,” *Econometrica*, 50, 1483–1504.
- LEONARD, H. B. (1983): “Elicitation of Honest Preferences for the Assignment of Individuals to Positions,” *Journal of Political Economy*, 91, 461–479.
- MISHRA, D. AND A. TALMAN (2007): “Overdemand and Underdemand in Economies with Indivisible Goods and Unit Demand,” *Discussion Paper, Indian Statistical Institute, New Delhi*.
- QUINT, T. (1991): “Characterization of Cores of Assignment Games,” *International Journal of Game Theory*, 19, 413–420.
- ROTH, A. E. AND M. SOTOMAYOR (1988): “Interior Points in the Core of Two-Sided Matching Markets,” *Journal of Economic Theory*, 45, 85–101.
- (1990): *Two-Sided Matching: A Study in Game-Theoretic Modeling and Analysis*, Econometric Society Monograph Series, Cambridge University Press.
- SANKARAN, J. K. (1994): “On a Dynamic Auction Mechanism for a Bilateral Assignment Problem,” *Mathematical Social Sciences*, 28, 143–150.
- SEGAL, I. (2006): “The Communication Requirements of Social Choice Rules and Supporting Budget Sets,” *Journal of Economic Theory*, 129, 192–224.
- SHAPLEY, L. S. AND M. SHUBIK (1972): “The Assignment Game I: The Core,” *International Journal of Game Theory*, 1, 111–130.
- SOTOMAYOR, M. (2002): “A Simultaneous Descending Bid Auction for Multiple Items and Unitary Demand,” *Revista Brasileira de Economia Rio de Janeiro*, 56, 497–510.
- VICKREY, W. (1961): “Counterspeculation, Auctions, and Competitive Sealed Tenders,” *Journal of Finance*, 16, 8–37.