

Indian Statistical Institute  
Delhi Centre  
**Notice Inviting Tender**

NIT No- D / ISI /Civil Work /2018-19 /364

Dated:-14/06/2018

Name of work : Painting Works in D-8/10/24/30/31 rooms and Toilet Renovation of D-8/10/24/30 and other miscellaneous works in ISI Campus Delhi Centre New Delhi-110016.

The Head ISI Delhi Centre , 7 Shahid Jeet Singh Marg , opposite Katwaria Sarai, New Delhi 110016 , invites item rate was sealed tenders on behalf of I.S.I Delhi Centre for the above work from the vendors having experience in Govt./PSU/ etc. organisation in similar type of works..

**1. Eligibility Conditions:-**

- a. The intending Tenderers shall submit the proof of **GST registration certificates** and list of works completed along-with any one copy of certificates/ testimonials of their satisfactory completion from the department concerned obtained from an officer not below the rank of Executive Engineer-in-charge of the work, while submitting the tender.
- b. Tenders should be submitted PAN No.
- c. Relevant Exp. Document in GOVT. Deptt should be submitted.
- d. Taxes will be deducted as per the norms of Govt. Other taxes and Charges should be paid by the contractor himself.
- e. Tenders, which should always be placed in sealed envelope, in the manner detailed at para 2 below, will be received by **the OSD , ISI Delhi Centre , New Delhi-16 up to 15.00 Hrs. on 21/06/2018** and will be opened by him or his authorized representative in his office on the same day at 15.30 Hrs. After opening the main envelope 3, the envelope 1 containing the **GST** Registration Document/ works completed along-with copy of certificates /PAN No./ etc. (**as refer as Technical bid**) applicable and eligibility credentials shall be opened first. The envelope 2 containing tender shall be opened only for those tenderers whose **BOQ** (Bill of Quantities) (**refer as Financial bid**) found in order.

**2. Submission of tender : -**

Tender shall be submitted in following manner:

2.1 In case the tender document is down loaded from ISI Delhi website -

2.1.1 "the envelope 1 containing the GST Registration Document/ works completed along-with any copy of certificates /PAN No./ etc. shall be placed in sealed envelope-1 marked "**as Technical bid**".

2.1.2 The "**BOQ** (Bill of Quantities) (**refer as Financial bid**)" shall be placed in sealed envelope-2 and will be superscripted as "**Financial bid**".


2.1.3 The sealed envelope no. 1 & 2 as above containing "**Technical bid**", and the "**Financial bid**" shall be placed in another sealed envelope -3.

2.1.5 All the three envelopes shall be superscripted with following data on it.


- (i) Name of work
- (ii) Name of tenderer

### 3. Terms and Condition

- a. Tenderer first visited the site before submitting the tender.
- b. The work has to be executed strictly as per CPWD specification/Norms.
- c. Payments shall be made based on the satisfactory actual work done and based on the actual measurement, after deduction of 5%, which shall be kept as security to cover the defects liability period of six month from the date of completion. During this period any defects are found the same shall be got rectified immediately by you.
- d. The payment should be made based on the Malaba removing out from the campus.
- e. The ISI Delhi Centre reserve the right the whole tender process may be treated as a cancelled/terminated at any stage without assigning any reason.

  
Sd/- 13/6/2018  
On behalf of ISI Delhi Centre,

Signature of bidder with seal & Date



NIT No- D / ISI /Civil Work /2018-19 / 364

Dated 14/06/2018

Name of work : Painting Works in D-8/10/24/31/31 rooms and Toilet Renovation of D-8/10/24/30 and other miscellaneous works in ISI Campus Delhi Centre New Delhi-110016

### FINANCIAL BID

Sr. No.	DESCRIPTION OF WORK	Unit	Qty.	Rate	Amount
1	Removing dry or oil bound distemper, water proffing cement paint and the like by scrapping, sand repairing and preparing the surface smooth including necessary repairs to scratches etc. complete	sqm	635.22		
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete				
	for item no. 1 of 40 % ( 5 flats )	sqm	254.09		
3	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade :				
	Old work (one or more coats)	sqm	635.22		
4	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In- Charge.	sqm	23.321		
5	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	each	10		

6	p/f of aluminium sheet 1 mm thickness of required size including fixing nails etc .all complete as per the direction of the Engineer-in-charge.	Sqm	8.64		
7	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade				
	One or more coats on old work	sqm	270.69		
8	Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete.				
	With 12 mm mild steel U beading	sqm	5.172		
	C.P. BRASS FITTINGS				
9	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
	15 mm nominal bore	each	5		
10	p/f of heath faucet ABS body with wall hook and 1 meter cp PVC hose pipe including complete as per direction of engineer incharge.	each	5		
11	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
	15mm nominal bore	each	5		
12	Providing and fixing uplasticised PVC connection pipe with brass unions :				
	45 cm length				
	15 mm nominal bore	each	5		
13	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :				
	W.C. pan with ISI marked white solid plastic seat and lid	each	4		
14	Providing and Fixing of PVC Pipe – 4 " dia with pvc solvent and fitting (Astral/prince Make)	meter	4.5		

15	Cutting/chasing up to 75 x 75 mm in concrete/R.C.C. floors and roofs for laying drain pipe etc. and repairing the cutting/chasing after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.				
	75 mm dia	meter	10		
16	providing and fixing of PVC Nahani Trap of size (2" x 3") including finishing complete.	each	5		
17	Providing and Fixing of cp grating floor jali plain - 4" dia	each	17		
18	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:				
	Float glass panes of thickness 5.5 mm	sqm	2.7516		
19	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	each	1		
20	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :				
	Rectangular shape 453x357 mm	each	2		
	4.0 CONCRETE WORK				
21	1:3:6 (1 Cement : 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size).	cum	0.3376		
	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT				
22	12 mm cement plaster finished with a floating coat of neat cement of mix :				
	1:4 (1 cement: 4 fine sand)	sqm	6.751		
23	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.	each	5		
24	Malaba Removing Out in ISI Campus	1 job	1		
25	Providing and fixing plywood 6 mm thick, for plain	sqm	2.88		

	lining / cladding with necessary screws, including priming coat on unexposed surface with				
	Total(inclusive taxes)				
	extra taxes if any				
	Total(inclusive taxes)				
	Rebate/discount if any				
	Grand Total (inclusive taxes)				

*Karishma*

sd

on behalf of ISI Delhi Centre

Signature of bidder with seal & Date