


तारीख: - 09/07/2019

भारतीय सांख्यिकी संस्थान
दिल्ली केंद्र



ग्राम स्टाटिस्टिका , नई दिल्ली

फोन : .41493984

फैक्स : 41493980

ईमेल : dce@isid.ac.in

7 , एस जे एस , सनसनवाल मार्ग ,
कुतुब होटल के पास
कटवरिया सराय नई दिल्ली

निविदा आमंत्रित सूचना
Tender Notice

निविदा नं. D /ISI /CIVIL WORK /2019 -2020 / 428

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते हैं . विवरण(quotation) तारीख 26/07/2019 या उससे पहले इस कार्यालय को 3.00 बजे तक मिलने चाहिये . विवरण(quotation) उसी दिन आपके समक्ष या आपके अनुपस्थिति में 3.30 बजे खोले जायेंगे .

Subject : - Supplying and Fixing Windows, ventilators fabricated from rolled formed sections made of Galvanised Steel Coulor/Powder Coated with including of paint specification/dimension/specification fixing details and assessories. (Approved Sample kept in ISI) in ISI Campus Delhi Centre New Delhi-110016

Sr No.	Description of item of work	Unit	Qty	Rate	Amount
1	Supplying and Fixing				
	ECO - 4000 Series Windows -- Providing & fixing Windows/ ventilators fabricated from roll framed sections made of Galvanized Steel Colour Coated/ Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/ Sqr. Mtr.) with total coated thickness of thickness of 0.60mm.				
	Paint Specifications:				
	Coated sections should be with Primer coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester paint of 12-16 microns thick or Powder Coated with pure Polyester up to 50-60 microns thick.				
	Dimensions of Sections:				
	Sections for Frame should be of 72mm x 55mm, Section for Mullion should be of 72mm x 50mm, Section for Shutter Frame should be of 47MM X 20mm, Section for Fixed Glass Bead should be of 12mm x 12mm, and Section for Fly Mesh should be of 40mm x 20mm.				
	Fixing Details:				
	Section for Frame Glazed Shutters and Mesh Shutters should be cut to length and miter joined with Polypropylene Corner Brackets, Mullion Section should be joined with Frame/Mullion using Mullion Cap Ethyl Propylene Damien Monomer (EPDM) Gasket should be used all around glass in shutter and Fixed Glass. Spoon profile should be used around Fly mesh to fix Mesh in Mesh Shutter	sqm	10.408		
	Assessories : -				
	Each Glazed Shutter and Mesh shutter should be provided with SS Pivot Hinges — 1 set, Seccolor Handle & Seccolor Stay.				
	Window Frame should be fixed to brick/ concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the through frame.				
	Glass:				
	Glass shutter & Fixed Glass portions should be provided with a glass of SMM Plain Float Glass.				
	Mesh:				

Sr No.	Description of item of work	Unit	Qty	Rate	Amount
	Mesh Shutter should be provided with a Stainless Steel 32 gauge Fly mesh of 304 grades with 144 holes per square Inch.				
	Grill:				
	(indows should be provided with Grill made of 10mm sq. MS Bars welded th at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.				
	Total(inclusive taxes)				
	extra taxes if any				
	Total(inclusive taxes)				
	Rebate/discount if any				
	Grand Total (inclusive taxes)				


 Sd/-
 Dy Chief Executive

सूचना

1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .
2. कार्य विवरण(specification) सहित व सिविल अभियंता के शमकश होना चाहिये .
3. कार्य आदेश मिलने के बाद 15 दिन के भीतर कार्य समाप्त होना चाहिए.
4. विवरणकर्ता(quotationer) विवरण फार्म(quotation) के साथ निचे दिए हुए document लगाना अनिवार्य है.
- a. "(जीएसटी)-" नं.(GST NO.)
- b. **Works Experience Certificate**
5. The quantity will be increased or decreased as per the actual site condition.
6. विवरण फार्म(quotation) सिग्नेचर किये बगैर और स्टाम्प लगाये बगैर और ऊपर दिए हुए document नहीं मिलने पर आपका QUOTATION /टेंडर सीधे सीधे निरस्त किया जाएगा .
7. कोटेशन में दिए गए आपके कुल राशि पर टैक्सेज एप्लीकेबल रहेंगे.
8. माल ढुलाई का अतिरिक्त किराया भाड़ा या कुरियर भाड़ा नहीं दिया जायेगा.
9. सिक्योरिटी डिपोजिट ५% सुरक्षित जमा राशि (DEFECT LIABILITY PERIOD) आपके कुल राशि पर ६ महीने के लिए वैध रहेगी.
10. एडवांस राशि काम के पहले या बाद में एप्लीकेबल नहीं रहेंगे .
11. काम करते समय किसी भी प्रकार का हादसे के लिए ISI Delhi Centre जिमेदार नहीं रहेगी.
12. **The ISI Delhi Centre reserve the right to reject the tender process at any stage without assisgning any reason.**
13. For any clarification Engineer Civil may be contacted
14. The quotation received may be rejected for non compliance with the above terms and conditions.

प्रति :-

1. सूचना पलट
2. वेब स्थल आई एस आई दिल्ली केन्द्र

