


Date:- 21/09/2016

भारतीय सांख्यिकी संस्थान
दिल्ली केंद्र



ग्राम स्टाटिस्टिका, नई दिल्ली
फ़ोन : 41493984
फैक्स : 41493981
ईमेल : kalam@isid.ac.in

7, एस जे एस, सनसनवाल मार्ग,
कुतुब होटल के पास
कटवरिया सराय
नई दिल्ली

निविदा आमंत्रित सूचना


निविदा नं. D /ISI /Fogging Service /2016 -2017 / 231

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते हैं . विवरण(quotation) तारीख 4/10/2016 को 3.00 P.M. बजे तक इस कार्यालय को मिलने चाहिये . विवरण(quotation) उसी दिन आपके समक्ष या आपके अनपस्थिति में 3.30 PM. बजे खोले जायेंगे .

Name of Work :- Providing and applying Fogging Service in ISI Campus Delhi Centre, New Delhi-16.

Sr No.	Description of Kitchen item	Unit	Qty	Rate	Amount
	Providing and applying fogging treatment surrounding periphery of residential quarters A/B/C/D-BLOCK / The outside the fogging is required as per the listed building. 1. New PJH Building /2. Old Hostel Building 3. Teaching Block/4. Library Building 5. Guest House/6. Canteen/Mess 7. Administration Block/8. Faculty Block 9. Electrical Substation/ 10.Security Office , and inside staircase portion, passage area of HOSTEL/GUEST blocks / by using dosage of solution of of pyrethrum 2% and Diesel (0.1% strength) with 2% @ 15 to 30 ml per 1000 CFT shall be used as per manufacturers recommendations or its equivalent solution including all tools and tackles, transportation, service charges, manpower, reputed specific equipments etc. complete including all service taxes etc. as may be applicable. (The treatment shall be done Montly Basis minimum 1 rounds). The material (Chemical) shall be approved brand i.e. Lakshaya (Deltamethrin 1.25% ulv, Smoker (Deltamethrin 1.25% ulv etc. OR its equivalent. inclusive taxes		12 Month		
				Total	


अभियंता सिविल 'अ'


ओएसडी 21/9/2016

सूचना

1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .
2. कार्य आदेश मिलने के बाद महीने की आखरी तारीख में आपको service देनी पड़ेगी. सर्विस देने पर log book पर इंजीनियर के दस्तखस के बाद ही आपका बिल मान्य होगा.
3. विवरणकर्ता(quotationer) विवरण फार्म(quotation) के साथ "डी वट" "पन नम्बर" "टिन नम्बर" लगाना अनिवार्य है .
4. विवरण फार्म(quotation) सिग्नेचर किये बगैर और स्टाम्प लगाये बगैर मिला तो सीधे सीधे निरस्त किया जाएगा .
5. कोटेशन में दिए गए आपके कुल राशि (Biling) पर टैक्सेज एप्लीकेबल रहेंगे.
6. माल ड्रलाई का अतिरिक्त किराया भाड़ा या कूरियर भाड़ा नहीं दिया जायेगा.
7. आपका कॉन्ट्रैक्ट सिर्फ १ साल के लिए ही वैध रहेगा. १ साल के बाद कॉन्ट्रैक्ट बिना पूर्व सूचना दिए कॉन्ट्रैक्ट समाप्त हो जायेगा.
8. एडवांस राशि काम के पहले या बाद में एप्लीकेबल नहीं रहेंगे .
9. काम करते समय किसी भी प्रकार का हादसे के लिए ISI Delhi Centre जिमेदार नहीं रहेगी.
10. The ISI Delhi Centre reserve the right the whole tender process may be treated as a cancelled/terminated at any stage without assisqing any reason.
11. The intending Tenderers shall submit definite proof of registration certificates and list of works(same above only) completed along-with copy of certificates/ testimonials of their satisfactory completion from the department concerned officer -in-charge of the work, while submitting the tender.
12. The chemical intended to be used shall be enlisted by World Health Organization [WHO] in its specifications for use in public health programme.
13. Material shall be approved by the concerned government authority for National Malaria Control Programme [NMCP].
14. Material shall be odorless and stainless i.e. it should not leave any stains on the outer peripheral wall of residential and public buildings.
15. The chemical intended to be used for fogging in no case shall be hazardous to human being and shall be environment friendly.
16. The chemical intended to be used shall be diluted with Diesel only as per the manufacturer's specification & recommendations.
17. The formulation comprising of pyrethrum 2% and Diesel (0.1% strength) with 2% @ 15 to 30 ml per 1000 CFT shall be used as per manufacturers recommendations.
18. The material (Chemical) shall be approved brand i.e. Lakshaya (Deltamethrin 1.25% ulv, Smoker (Deltamethrin 1.25% ulv etc. OR its equivalent).
19. One round of fogging operation shall be take ata atimes of month.
20. Fogging operation shall be carried out after 5.30 pm and not later than 7 pm [i.e. between 5.30 pm to 7 pm], because this is the period when mosquitoes attack and are active.
21. Chemical intended to be used for fogging operation shall produce fumes, which should diminish within 2 minutes of fogging operation.
22. The sample shall be got approved first and then the supply shall be made in bulk quantity
23. The chemical intended to be used shall produce fog having particle size not more than 5 Micron
24. The operation shall be carried out with minimum 2 fogging machines and there shall be 1 standby machine.