

भारतीय सांख्यिकी संस्थान
दिल्ली केंद्र

ग्राम स्टाटिस्टिक्स, नई दिल्ली
फ़ोन : 41493984
फैक्स : 41493981
ईमेल : kalam@isid.ac.in



7, एस जे एस, सनसनवाल मार्ग,
कुतुब होटल के पास
कटवरिया सराय नई दिल्ली

निविदा आमंत्रित सूचना

Tender Notice

निविदा नं. D /ISI/ CIVIL WORK /2017 -2018 / 296

मोहरबंद लिफाफे में भरे हुए विवरण(quotation) आमंत्रित किए जाते हैं . विवरण(quotation) तारीख 04/08/2017 या उससे पहले इस कार्यालय को 3.00 बजे तक मिलने चाहिये . विवरण(quotation) उसी दिन आपके समक्ष या आपके अनुपस्थिति में 3.30 बजे खोले जायेंगे .

Providing and Fixing of plumbing material in toilets and bathrooms in A-8/B-12 in ISI Campus Delhi Centre, New Delhi-110016

| Sr No. | Description of item of work | Unit | Qty | Rate | Amount |
|--------|---|-------|-----|------|--------|
| | B-12 | | | | |
| 1 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, excluding all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.C.P.V.C. PIPES{astral make}Fitting will be paid extra | | | | |
| | Internal work-Exposed on wall | | | | |
| | 20 mm nominal outer dia Pipes | meter | 24 | | |
| 2 | 3/4"-1/2" - Providing and Fixing CPVC MALE ADAPTOR-BRASS | each | 7 | | |
| 3 | 3/4"-3/4" - Providing and Fixing CPVC TEE-Plain | each | 6 | | |
| 4 | 3/4"-3/4" - Providing and Fixing CPVC ELBOW-Plain | each | 20 | | |
| 5 | 3/4"-1/2" - Providing and Fixing CPVC ELBOW-BRASS | each | 9 | | |
| 6 | 3/4"-1/2" - Providing and Fixing CPVC TEE-BRASS | each | 5 | | |
| 7 | Providing and Fixing of GI Nipple-L-2"-1/2Φ | each | 1 | | |
| 8 | Providing and fixing plasticised PVC connection pipe with brass unions : | | | | |
| | 45 cm length | | | | |
| | 15 mm nominal bore | each | 3 | | |
| 9 | Providing and Fixing of mixture cnection pipe with brass union-18" | each | 2 | | |
| 10 | Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 | | | | |
| | 15mm nominal bore | each | 2 | | |
| 11 | Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. | | | | |
| | 15 mm nominal bore | each | 1 | | |
| 12 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. | | | | |
| | Flexible pipe | | | | |
| | 32 mm dia | each | 1 | | |

| Sr No. | Description of item of work | Unit | Qty | Rate | Amount |
|--------|---|-----------|-----|------|--------|
| 13 | Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. | | | | |
| | Circular tank | per litre | 500 | | |
| 14 | Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete : | | | | |
| | 20 mm nominal bore | each | 1 | | |
| 15 | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : | | | | |
| | 20 mm nominal bore | each | 4 | | |
| 16 | 3/4"-3/4" - Providing and Fixing CPVC union | each | 4 | | |
| 17 | 3/4"-3/4" - Providing and Fixing CPVC tank nipple | each | 4 | | |
| 18 | 3/4"-3/4" - Providing and Fixing CPVC MALE ADAPTOR-BRASS | each | 4 | | |
| 19 | 3/4"Providing and Fixing CPVC FEMALE ADAPTOR-BRASS | each | 5 | | |
| 20 | 3/4"-3/4" - Providing and Fixing CPVC ELBOW-Plain | each | 5 | | |
| | A-8 | | | | |
| 21 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, excluding all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.C.P.V.C. PIPES{astral make}Fitting will be paid extra | | | | |
| | Internal work-Exposed on wall | | | | |
| | 20 mm nominal outer dia Pipes | meter | 15 | | |
| 22 | 3/4"-1/2" - Providing and Fixing CPVC MALE ADAPTOR-BRASS | each | 7 | | |
| 23 | 3/4"Providing and Fixing CPVC FEMALE ADAPTOR-BRASS | each | 2 | | |
| 24 | 3/4"-3/4" - Providing and Fixing CPVC TEE-Plain | each | 4 | | |
| 25 | 3/4"-3/4" - Providing and Fixing CPVC ELBOW-Plain | each | 12 | | |
| 26 | 3/4"-1/2" - Providing and Fixing CPVC ELBOW-BRASS | each | 8 | | |
| 27 | 3/4"-1/2" - Providing and Fixing CPVC TEE-BRASS | each | 4 | | |
| 28 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. | | | | |
| | Flexible pipe | | | | |
| | 32 mm dia | each | 1 | | |
| 29 | Providing and fixing plasticised PVC connection pipe with brass unions : | | | | |
| | 45 cm length | | | | |
| | 15 mm nominal bore | each | 1 | | |
| 30 | Providing and Fixing of stop cock CP Female Threaded | | | | |
| | 15 mm nominal bore | each | 2 | | |
| 31 | Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 | | | | |
| | 15mm nominal bore | each | 5 | | |
| 32 | Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. | | | | |
| | 15 mm nominal bore | each | 3 | | |
| 33 | Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : | | | | |

| Sr No. | Description of item of work | Unit | Qty | Rate | Amount |
|--------|---|------|-----|------|--------|
| | 15 mm nominal bore | each | 1 | | |
| 34 | Providing and Fixing of health faucets ABS body with wall hook and 1 Meter SS rubber hose pipe (good quality) | each | 1 | | |
| 35 | Providing and fixing over head shower 85 mm dia (3.5") with single flow and shower arm (good quality) | each | 1 | | |
| 36 | Supplying and fixing C.I. cover 300x300 mm without frame for gully trap (standard pattern) the weight of cover to be not less than 4.5 kg | each | 8 | | |
| | Total(inclusive taxes) | | | | |
| | extra taxes if any | | | | |
| | Total(inclusive taxes) | | | | |
| | Rebate/discount if any | | | | |
| | Grand Total (inclusive taxes) | | | | |

ए.जी.सि.विल.

अभियंता सिविल 'ए'

अ.जी.सि.विल.
24/7/2017
ओएसडी

सूचना

1. प्रस्ताव देने के पहले विवरणकर्ता(quotationer) का जगह को देखना अनिवार्य है .
2. कार्य विवरण(specification) सहित व सिविल अभियंता के शमकश होना चाहिये .
3. कार्य आदेश मिलने के बाद 15 दिन के भीतर कार्य समाप्त होना चाहिए.
4. विवरणकर्ता(quotationer) विवरण फार्म(quotation) के साथ "पैन नम्बर " "(जीएसटी)-" नं. लगाना अनिवार्य है .
5. The quantity will be increased or decreased as per the actual site condition.
6. विवरण फार्म(quotation) सिग्नेचर किये बगैर और स्टाम्प लगाये बगैर मिला तो सीधे सीधे निरस्त किया जाएगा .
7. कोटेशन में दिए गए आपके कुल राशि पर टैक्सेज एप्लीकेबल रहेंगे.
8. माल ढुलाई का अतिरिक्त किराया भाड़ा या कुरियर भाड़ा नहीं दिया जायेगा.
9. सिक्योरिटी डिपोजिट ५% सुरक्षित जमा राशि आपके कुल राशि पर ६ महीने के लिए वैध रहेगी.
10. एडवांस राशि काम के पहले या बाद में एप्लीकेबल नहीं रहेंगे .
11. काम करते समय किसी भी प्रकार का हादसे के लिए ISI Delhi Centre जिमेदार नहीं रहेगी.
12. The ISI Delhi Centre reserve the right the whole tender process may be treated as a cancelled/terminated at any stage without assisgning any reason.
13. (जीएसटी- नं.) GST - No. is a mandatory from of 1ST JULY 2017. Please enclosed GST Registration document.

14. For any clarification OSD may be contacted

प्रति :-

1. सूचना पलट
2. वेब स्थल आई एस आई दिल्ली केन्द्र