

INDIAN STATISTICAL INSTITUTE

RECEIVED
ON... 24/2/14
vjm

Telephones : (033) 2577 6927 /
2575- 2251
Fax : +(91)(33) 2577 6033
E-mail : ceaf@isical.ac.in



203 BARRACKPORE TRUNK ROAD
KOLKATA 700 108, INDIA

No.CAF/21-A/218/ 899
19 February, 2014

Shri H.K.Sachdeva
7/108, Malviya Nagar,
New Delhi-110017

Dear Sir,

With reference to your RTI application dated 16.01.2014, received by the CPIO on 20.01.2014, the information, as sought for, are furnished below:-

Information sought		Information supplied
A.	<p>Please supply photocopy of following documents (Pg No. 1,2 and last page of entries) bearing signature of Engineer-in-charge / ISI Official / Concerned Official:/ maintained by Shri Vishwa Bandhu, Engineer-in-charge</p> <ul style="list-style-type: none">a. Cement issue registerb. Steel Issue Registerc. MAS Registerd. Site order booke. Inspection registerf. Test Registerg. Drawing issue Registerh. Guard filei. Hindrance Register	No record available.
B.	<p>Please supply photocopy of pages of the following document bearing signature of Shri T. Narayanaswamy :/ maintained by Shri T. Narayanaswamy</p> <ul style="list-style-type: none">a. Cement issue registerb. Steel Issue Registerc. MAS Registerd. Site order booke. Inspection registerf. Test Registerg. Drawing issue Registerh. Guard filei. Hindrance Register	No record available.
C.	<p>Please supply copy of letter issued by a competent authority showing approval that Shri Arup K. Pal was authorized to carry out tests in place of Shri Vishwa Bandhu (Engineer in charge)</p>	No document mentioning "in place of Shri Vishwa Bandhu" or "instead of Shri Vishwa Bandhu" is available.

D.	Please supply copy of letter issued by competent authority showing approval that Shri Arup K. Pal was authorized to collect quotation from Shriram Institute of Industrial Research for carrying out test on 22.9.11.	Office order stating Professor Arup Pal as Chairman of New Mess Building Construction Evaluation Committee is enclosed; no "specific approval" authorizing him to collect the stated quotation.
E.	Please supply copy of issue of letter showing approval of single quotation of Shriram Institute of Industrial Research for conducting test on 22.9.11.	No document available
F.	Please supply copy of letter/email dated written by Shri Arup K Pal to Shri S P Das, Head Delhi Centre regarding testing through Shriram Institute for Industrial Research.	Enclosed
G.	Please supply photocopy of visitor Register kept at main gate of ISI Delhi Centre for dates a. 30.8.11 b. 16.9.11 c. 22.9.11 d. 26.8.11 e. 6.7.12 f. 30.1.12 g. 27.1.12 h. 3.2.12 i. 24.2.12	Enclosed

You are requested to remit Rs. 34/- (Rupees thirty four only) towards copying charges @ Rs. 2/- per page for 17 pages sent herewith.

Your RTI application dated 16.01.2014, received by the CPIO on 20.01.2014, is disposed off. Prof. Bimal K. Roy, Director of the Institute at the above address is the Appellate Authority.

Yours faithfully,

(S.K. Iyer)

Central Public Information Officer

Copy to: Prof. S.P. Das
Head, Delhi Centre