


# INDIAN STATISTICAL INSTITUTE

Telephones : (033) 2577 6927 /  
2575- 2251  
Fax : +(91)(33) 2577 6033  
E-mail : ceaf@isical.ac.in



203 BARRACKPORE TRUNK ROAD  
KOLKATA 700 108, INDIA

No.CAF/21-A/254/ 1067  
31 March, 2014

Shri H.K.Sachdeva  
7/108, Malviya Nagar,  
New Delhi-110017

Dear Sir,

With reference to your RTI application dated 26.02.2014, received by the CPIO on 28.02.2014, letter of CPIO vide No. CAF/21-A/254/1020 dated 24.03.2014 and your letter dated 28.03.2014 along with charges, the information, as sought for, are furnished below:-


Information sought		Information supplied
A.	Please supply copy of the document which shows clearly that Prof. Arup K. Pal was directed / authorised by Head Delhi Centre / competent authority to make correspondence with Shriram Institute for Industrial Research regarding testing of mess building during month of August/September 2011.  If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.	For clear and complete info, please refer to response to query M of applicant's application, received dated 17.01.2014, reply to which was sent by CPIO, vide letter No.CAF/21-A/214/874 dated 17.02.2014.
B.	Kindly provide copy of document which provides details regarding decision taken about no. of cores of column/slab and dia to be cut by M/s Shriram Institute for Industrial Research at New Mess Building ISI Delhi Centre on 16-09-2011 and 30-01-2012.  If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.	3 documents enclosed.
C.	Please provide the copy of document which shows that Mr. V. Bandhu Engineer Civil has supervised the work of testing by Shriram Institute for Industrial Research on 16-09-2011 and 30-01-2012.  If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.	No such document is held.
D.	Kindly provide copy of attendance register for Mr. V. Bandhu on date 16-09-2011 and 30-01-2012.  If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which	No specific attendance register for Mr. V. Bandhu available.

	it is not eligible/applicable.	
E.	<p>Please provide copy of document which shows that numbers of cores to be cut were decided by sponsor's Engineer on date 16-09-2011 and 30-01-2012.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	No such document is held.
F.	<p>Please supply copy of letter written to Shriram Institute for Industrial Research asking them to carry out tests at New Mess Building of ISI Delhi Centre on date 16-09-2011 and 30-01-2012.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Copy enclosed
G.	<p>Please supply copy of bill of Shriram Institute for Industrial Research asking them to carry out tests at New Mess Building of ISI Delhi Centre on date 16-09-2011 and 30-01-2012 approved by competent authority.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Copy enclosed.
H.	<p>Please supply copy of terms of reference of committee headed by Sh. Arup K. Pal.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	There is no document specifically mentioning "terms of reference" of committee headed by Shri Arup K. Pal but they are specified in the letter to the previous Chairman which is enclosed.
I.	<p>Please provide copy of document approved by competent authority authorising Mr. T. Narayana Swamy to deal with Shriram Institute for Industrial Research regarding testing carried out at New Mess Building ISI Delhi Centre on date 30-01-2012.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	No such specific document is available.
J.	<p>Please supply copy of document which shows that PPC was provided to Shriram Institute for Industrial Research for testing at New Mess Building ISI Delhi Centre on date 30-01-2012.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Enclosed.
K.	<p>Please supply copy of document which shows that PPC was provided to Shriram Institute for Industrial Research for testing at New Mess Building ISI Delhi Centre on date 30-01-2012 by Sh. T. Narayana Swamy.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	
L.	<p>Please supply copy of document issued by Shriram Institute for Industrial Research that the test</p>	No such document is held.

	<p>reports regarding work at New Mess Building ISI Delhi Centre can be placed in the court of law or arbitration.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	
M.	<p>Please supply copy of work order dated August 23, 2011 issued to Cortex Construction Solutions Pvt. Ltd.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Not held.
N.	<p>Please supply copy of bill pertaining to Dr. B.K. Rao from CBRI recommended by Engineer Civil.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Bill enclosed while one recommended by engineer Civil do not exist.
O.	<p>Please supply copy of the following documents which were submitted by Engineer Incharge as per office notification no : HDC:A11(1):193: 11Dt. Nov 01, 2011.</p> <p>i. Letter CMU 05 dated 06-05-2011.</p> <p>ii. Work order to M/s Team appointing as consultant for Renovation / up gradation of Institute Main Gate.</p> <p>iii. Letter CMU 17 dated 17-08-2011.</p> <p>iv. Letter CMU 19 dated 01-09-2011.</p> <p>If this information sought is not eligible for reply kindly supply/mention class of RTI Act under which it is not eligible/applicable.</p>	Copies of i) to iv) enclosed.

Your RTI application dated 26.02.2014, received by the CPIO on 28.02.2014 and your letter dated 28.03.2014 along with charges, in response to the letter of CPIO vide No. CAF/21-A/254/1020 dated 24.03.2014, is disposed off. Prof. Bimal K. Roy, Director of the Institute at the above address is the Appellate Authority.

Yours faithfully,

  
(S.K. Iyer) 31/3/2014

Central Public Information Officer

copy to :- ✓ Head  
Delhi centre.